## Meltdown: Lessons Learned

Paul Hubbard pfh@phfactor.net

### Introduction

 <u>http://www.phfactor.net/at/</u> has everything you need to follow along and try the app.

### Motivation

- I have a lot of sites I want to keep an eye on, a few I want to always read, and many more to keep in my peripheral attention.
- Apps like Flipboard, Currents and Zite are magazines.
- I want a fast app for a LOT of feeds. Like 1,000 of 'em.
- I have Fever running, but there wasn't an Android app yet.

## The other motives

- The app store is your new resume.
- "You need to have at least one app in the store" -Kathleen
- I want visibility on Github and LinkedIn

#### Use cases and stories

- I. I have a few minutes and want to read some news. The news must be fresh; the app must be fast.
- 2. I'm at my desk and want to read on the browser. I don't want to see stuff I've read on the mobile or tablet.

=> I want an interface that makes it easy to read, skim, or ignore.

## **RSS? Fever?**

- XML documents, published along with site, that have post information plus a unique ID.
- Clients can check for updates to feed periodically
- Fever is a commercial RSS aggregator (PHP)

```
<?xml version="1.0" encoding="utf-8"?>
<feed xmlns="http://www.w3.org/2005/Atom" xmlns:creativeCommons="http://backend.userland
<title type="text">newest questions tagged android - Stack Overflow</title>
. . .
   <entry>
    . . .
   </entry>
   <entry>
        <id>http://stackoverflow.com/g/9439999</id>
        <re:rank scheme="http://stackoverflow.com">0</re:rank>
        <title type="text">Where is my data file?</title>
        <category scheme="http://stackoverflow.com/feeds/tag?tagnames=android&sort=newes
        <category scheme="http://stackoverflow.com/feeds/tag?tagnames=android&sort=newes
        <author>
            <name>cliff2310</name>
            <uri>http://stackoverflow.com/users/1128925</uri>
        </author>
        k rel="alternate" href="http://stackoverflow.com/questions/9439999/where-is-
        <published>2012-02-25T00:30:54Z</published>
        <updated>2012-02-25T00:30:54Z</updated>
        <summary type="html">
            I have an Application that requires a data file...
        </summary>
    </entry>
   <entry>
    . . .
   </entry>
</feed>
```



## Meltdown

- Native app for Android v4 or later
- Pure reader: no code to manage/add feeds
- Written over four months of nights and weekends, around 4k SLOC
- Released Nov 2012
- Niche app around 1,400 total installs
- Open source

### Demo





2 unread items

AAAB Politics etc

One unread item

AAAC Android

3 unread items

AAAC Econ 2 unread items

. . . . . .





#### Everything Wrong With Back To The Future

Even a cinematic masterpiece like Back to the Future sins every now and again.... Visi...

#### Devour

#### yesterday

#### David Blaine Does Magic For Bryan Cranston and Aaron Paul

David Blaine proves for once and for all that he is the one who knocks.... Visit Devou...

#### Devour

yesterday

#### Will Ferrell Hangs Out With Ron Burgundy

Funnyman of the year Will Ferrell hangs our with anchorman of the year Ron Burgundy du...

Devour

yesterday

#### Stabilized Zapruder JFK Assassination Footage

Abraham Zapruder's shaky home video of the assassination of John F. Kennedy gets inter...

Devour

yesterday

#### Jean Claude Van Damme's Epic Split

Jean Claude Van Damme shows off his Belgian



Another day, another news item concerning <u>Apple and Samsung's long-running patent</u> <u>battle</u>. This time, the focus of our attention is on

Open URL 1 hour ago

Next





Some games are just too easy these days. Indie Dev studio Whalenought Studios would agree. That's why they've brought us Isle of Bxnes. They remember the days when games were so difficult that if you died just one more time before making any real headway that you'd just have to bash your head against the wall. Or break your controller, which would certainly hurt less.



Isle of Bxnes is inspired from action rpgs of the old days where you had more of a chance for success to build your own rocket than win. Perseverance be damned, no matter how hard you try, you'll never beat that last level.(or so you'd think)In Isle of Bxnes, you're the head of an island tribe that is being led east by a mysterious set of lights. In your quests to move east in search of what is drawing you near, you'll encounter many dangers and must make choices that could ultimately lead to your demise many times over.



Open URL 6 hours ago

Next



Apple's Phil Schiller on Samsung: Patent Infringement Weakened Our Image as an Innovator



Another day, another news item concerning <u>Apple and Samsung's long-</u> running patent battle. This time, the focus of our attention is on none another than Apple Senior Vice President of Worldwide Marketing Phil Schiller, who recently took the stand to testify in the ongoing legal scuffle between the two technology giants. In an effort to net Apple the damages it believes it deserves from Samsung's patent infringement, Schiller is making some big claims, testifying that Samsung's infringement has damaged t

Schiller's i Samsung i to an Apple said he wa iPhone." A infringeme	Save on server	el plaining
	Remind me next week	3, Schiller ed the patent nd the
Open	Post item	Next



need to double state the amount ..



Meltdown is an open source RSS client for <u>Fever</u> and is written by <u>Paul Hubbard</u>. Please see <u>Github for source</u> <u>code</u>. Also includes code from https://github.com/ MoriTanosuke and https://github.com/flurischt.

Server URL: https://www.phfactor.net/fever Last refresh 2 minutes ago - network up. 100 unread items in 17 groups and 928 feeds 100 cached posts on disk Update interval: 15:00



### Install stats



# Speed injures

- My #I feature is speed, which lead to...
- My first big mistake: In-memory data structures
- My second mistake: JSON files
- My biggest mistake of all: Locking data.

# App organization

- Activities with ListViews for groups, feeds, and posts.
- ScrollView + WebView for viewing a post
- IntentService run via AlarmManager to keep updated.
- AsyncTasks to mark stuff as read.

### Data structures

- In-memory arrays for groups, feeds and posts. Owned and managed by Application.
- Classes as data structures all public.
- Bulky page contents in individual JSON files
- IntentService uses LocalBroadcastManager

## Fever REST API

- Well documented at <u>http://feedafever.com/api</u>
- Already alternatives, e.g. <u>https://github.com/</u> passiomatic/coldsweat
- Emerging standard?

## Android Docs Are Bad

- Lots of fine detail but hard to find big picture. E.g.,
   SO or blog posts on how to fix an error, but harder to find advice on how to design an app.
- The book I bought was good, but the APIs were deprecated by the time I started!
- A mentor would have helped immensely

# Evolving design patterns

- Activity or Fragments?
- SQLiteOpenHelper or ContentProvider?
- insert vs SQL bulk operations?
- ContentProvider or SyncAdapter?
- ManagedCursor vs CursorLoader?
- Multiple HTTP clients, DownloadManager

## The Docs I Want

- Big-picture design patterns
- Detailed API / parameter /return value
- Sample code, as concise as possible
- Context: When to use A versus B, drawbacks, gotchas, bugs.

# Finding Good Code

- Google I/O https://code.google.com/p/iosched/
- Android blog <u>http://android-</u> <u>developers.blogspot.com</u>
- Github look for projects with stars and forks
- Google sample code in ADK

#### Where I blew it

- More time on RTFM and design.
- Should have been a SyncAdapter app from the start
- Nights and weekends lead to bad decisions.
- "Always have running code"
- Strings
- Activities and not Fragments

## SQLite mistakes

- Wrote an SQLiteOpenHelper as per book, got a whopping insert per second on a Galaxy Nexus.
- Rewrote using the filesystem, got ~1k per second.
- Stopped there should have kept reading and found bulk SQL operations.

## Sync and lock errors

- Despite knowing pthreads & MPI, I didn't RTFM on locking.
- App works... almost all of the time.
- 3 possible activities need to lock
- Derived data!

## Other Mistakes

- Strings not in strings.xml hard to fix, blocker on localization and translation.
- Communications code doesn't save and present errors to user. Hard problem.
- Local broadcasts are not reliable
- ListViews blow up when done poorly

## Useful tips and tools

- ITerm2 select, right click, search on Google. Best way to find errors.
- 'adb logcat | grep Meltdown' in one and 'adb logcat | grep Runtime' in another
- LaunchBar shortcut to search StackOverflow
- Play console stack traces
- GraphicalHTTPClient and API widget

		Meltdown mark gro	up as read
POST + http://www.phfactor.net/fev	er/?api&mark=group&as=	read&id=18&before=1358	118602
+ - Clear Cookies Options	Authentication Re	quest Body Clear	
Header Name Header Value	a	pi_key=2fb5e88ea00e29130be5	56c51d89e4
Status: 200 - OK (?)	Response Body (64 b	vtes)	
Time: 14 ms Redirects: 0	Copy to Clipboard	View as HTML	ave to File
Time: 14 ms Redirects: 0 Copy Headers to Clipboard Header Name Header Value	Copy to Clipboard {     "api_version": 3,     "last_refreshed_on_tim     "auth": 1	View as HTML 9	ave to File
Time: 14 ms Redirects: 0 Copy Headers to Clipboard Header Name Header Value Connection close Content-Length 64	Copy to Clipboard  {     "api_version": 3,     "last_refreshed_on_tim"     "auth": 1 }	View as HTML 9	ave to File
Time: 14 ms Redirects: 0 Copy Headers to Clipboard Header Name Header Value Connection close Content-Length 64 Content-Type text/json; charset=utf-8	Copy to Clipboard  {     "api_version": 3,     "last_refreshed_on_tim     "auth": 1 }	View as HTML 9	ave to File
Time: 14 ms Redirects: 0 Copy Headers to Clipboard Header Name Header Value Connection close Content-Length 64 Content-Length 64 Content-Type text/json; charset=utf-8 Date Tue, 12 Nov 2013 18:54:23	Copy to Clipboard  {     "api_version": 3,     "last_refreshed_on_tim"     "auth": 1 }	View as HTML 9	ave to File
Time: 14 ms Redirects: 0 Copy Headers to Clipboard Header Name Header Value Connection close Content-Length 64 Content-Length 64 Content-Type text/json; charset=utf-8 Date Tue, 12 Nov 2013 18:54:23 Server Apache/2.4.6 (Debian)	Copy to Clipboard  {     "api_version": 3,     "last_refreshed_on_tim     "auth": 1 }	View as HTML 9	ave to File

#### Fever API Documentation

Fever URL	https://www.phfacto	or.net/	eg.yourdomain.com/fever
Email	pfb@phfactor.net		eg.you@yourdomain.com
Password	•••••	eg.	b3stp4s4wd3v4
GET arguments	groups		eg.groups&feeds
POST argumen	ts		eg.mark=item&as=read&id=1024
Format	<ul> <li>JSON</li> </ul>		
	○XML		
Submit			

#### Request

GET:	https://www.phfactor.net/fever/?api&groups
POST:	api key=2fb5e88ea00e29130be56c51d89e4ed3&

#### Response

{"api\_version":3,"auth":1,"last\_refreshed\_on\_time":"1384647732","groups":[{"id":1,"title":"AX
{"id":4,"title":"AAAB"},{"id":5,"title":"AAAB Biking"},{"id":6,"title":"AAAB Comics"},{"id":7
{"id":9,"title":"AAAB images"},{"id":10,"title":"AAAB Watches"},{"id":11,"title":"AAAC AMQP"]
{"id":14,"title":"AAAC Image heavy"},{"id":15,"title":"AAAC Drupal"},{"id":16,"title":"AAAC AMQP"]
{"id":19,"title":"AAAC Image heavy"},{"id":20,"title":"AAAC Drupal"},{"id":16,"title":"AAAC MAC MC N
Tech"},{"id":19,"title":"AAAC Bored"},{"id":24,"title":"AAAH High volume"},{"id":25,"title":"AAAH Ki
Gadgets and such"},{"id":28,"title":"AA Macintosh"},{"id":29,"title":"AAAB Mobile"},{"id":30,"ti
Video"},{"id":33,"title":"AAAB Politics etc"},{"id":34,"title":"AAAB Mobile"},{"id":35,"title
{"id":37,"title":"AAAB Windows"}],"feeds\_groups":

java.lang.IndexOutOfBoundsException in java.util.ArrayList.throwIndexOutOfBoundsException		Hide Crash 1 of 2	
Reports this week	Reports total 1	Last reported Oct 23, 2013	
STACK TRACES	User Messages	Page 1 of 1	
Last reported Oct 23, 2013 Application version 0.9.5 Reports this week 0 Reports total 1	<pre>java.lang.RuntimeException: Failure deliver result=-1, data=null} to activity {net.phfactor.meltdown/net.phfactor.mel java.lang.IndexOutOfBoundsException: In at android.app.ActivityThread.deliverRe at android.app.ActivityThread.deliverRe at android.app.ActivityThread.AndleSes at android.app.ActivityThread\$H.handled at android.os.Handler.dispatchMessage() at android.os.Looper.loop(Looper.java: at android.app.ActivityThread.main(Act: at java.lang.reflect.Method.invokeNativ at java.lang.reflect.Method.invoke(Meth at com.android.internal.os.ZygoteInit,) at dalvik.system.NativeStart.main(Nativ Caused by: java.lang.IndexOutOfBoundsE: at java.util.ArrayList.throwIndexOutOff at java.util.ArrayList.get(ArrayList.j) at android.widget.ArarayAdapter.getItem at android.widget.AdapterView.getItemA at net.phfactor.meltdown.ItemsActivity at android.app.ActivityThread.deliverRe  11 more</pre>	<pre>page 1 of 1 java.lang.RuntimeException: Failure delivering result ResultInfo{who=null, request=9752,     result=-1, data=null} to activity     {net.phfactor.meltdown/net.phfactor.meltdown.ItemsActivity}:     java.lang.IndexOutOfBoundEException: Invalid index 14, size is 11     at android.app.ActivityThread.deliverResults(ActivityThread.java:340)     at android.app.ActivityThread.handleSendResults(ActivityThread.java:3410)     at android.app.ActivityThread.handleSendResults(ActivityThread.java:141)     at android.app.ActivityThreadSH.handleMessage(ActivityThread.java:1304)     at android.op.ActivityThreadSH.handleMessage(ActivityThread.java:1304)     at android.op.ActivityThreadSH.handleMessage(ActivityThread.java:1304)     at android.op.ActivityThread.main(ActivityThread.java:5103)     at java.lang.reflect.Method.invoke(Method.java:525)     at com.android.internal.os.ZygoteInitSMethodAndArgsCaller.run(ZygoteInit.java:737)     at com.android.internal.os.ZygoteInitSMethodAndArgsCaller.run(ZygoteInit.java:737)     at com.android.internal.os.ZygoteInitSMethodAndArgsCaller.run(ZygoteInit.java:737)     at com.android.internal.os.ZygoteInitSMethodAndArgsCaller.run(ZygoteInit.java:737)     at com.android.internal.os.ZygoteInit.java:300     at java.util.ArrayList.throwIndexOutOfBoundEException: Invalid index 14, size is 11     at java.util.ArrayList.throwIndexOutOfBoundEException(ArrayList.java:255)     at java.util.ArrayList.throwIndexOutOfBoundEException(ArrayList.java:255)     at java.util.ArrayList.throwIndexOutOfBoundEException(ArrayList.java:255)     at android.widget.AdapterView.getItemAtPosition(AdapterView.java:763)     at android.widget.AdapterView.getItemAtPosition(AdapterView.java:763)     at net.phfactor.meltdown.ItemsActivity.viewPost(ItemsActivity.java:250)     at android.app.Activity.dispatchActivityResult(/ItemsActivity.java:350)     at android.app.Activity.dispatchActivityResult(ItemsActivity.java:350)     at android.app.Activity.dispatchActivityResult(Activity.java:352) </pre>	

## Little touches help!

- Correct keyboard for different text entry URLs, email, passwords
- Subject/verb agreement
- Share to calendar
- Call users' URL as a hook
- Share outwards with text/plain
- Mark as read in background heck, all network in background

## Odd bits

- Couple small commits on Github, but I need to do more to encourage collaboration there.
- Runs on Blackberry OS 10
- Volunteers for translation
- Other app stores Amazon, AppSurfer

## Status of version two

- Volunteering to present it here lead to a frantic attempt to clean up the mess.
- Bulk SQL ops working, ~2k / sec on HTC One.
- ContentProvider for items
- Fragments for tablets and landscape
- New ListView with favicon placeholder
- Faster, uses less memory, less facepalm-y

## More ideas for v2

- Strings into strings.xml & move to Android Studio
- Add gestures to interface
- More time on ListView cell design
- SyncAdapter once I have working ContentProvider
- EventBus and/or Volley
- Coalesce mark-as-read updates
- Might use ACRA with dialog to report bugs

# Hoping for help here

- Issue 20: HTTP stops working.WTF?
- Best design patterns for Service / Activity IPC and locking. EventBus? Java primitives?
- Service -> ProgressBar?
- How to save and present HTTP(S) errors

## Free Advice

- Look at how Google writes iosched
- Setup Eclipse to filter completions big help.
- Invest the time to learn the complex patterns such as SyncAdapter and CursorLoader
- Research Volley or other networking libraries
- Use EventBus for IPC. Super clean.
- Be willing to share flawed code. It's OK.