

Calibres de base	Grandeur	Calibres dérivés	∅ trou	Bloc dessus	Bloc dessous	Creusure plat. cad.	Clavette	Vis	Chaton empierré	Pierre de dessus	c. pivot dessous	Ressort de c. pivot dessus	Ressort de c. pivot dessous	
° 8 B	6¼×8		09	100.11.255	101.20	10	—	180.19	150.11	111.09	121.11	122.11	170.03	171.03
° P 62	10½ 11½*	P 72* P 75*	10	100.11.300	120.20	—	—	180.19	150.11	111.10	121.11	122.11	170.03	170.03
° 237 B	10½		10	100.11.300	100.20	—	—	180.19	150.11	111.10	121.11	122.11	170.03	170.03
° 514 A	5¼ 6¼×8* 8¼**	20* 200* 814**	09	100.11.270	101.20	—	—	180.19	150.11	111.09	121.11	122.11	170.03	171.03
6 B	6		08	201.11.210	210.20	—	—	280.21	150.21	211.08	221.11	222.11	270.03	270.03
8 F	6¼×8 8¼*	83* 83 G*	09	100.11.255	103.20	10	—	180.19	—	111.09	121.11	122.11	170.03	173.03
P 62 A	10½ 11½*	P 72 A* P 75 A* P 76*	10	100.11.300	120.20	—	—	180.19	150.11	111.10	121.11	122.11	170.03	170.03
238 A	10½ 11½*	238 GA*	10	100.11.300	100.20	—	—	180.19	150.11	111.10	121.11	122.11	170.03	170.03
514 A 21	5¼	14 A 21	09	100.11.270	101.20	—	—	180.19	150.11	111.09	121.11	122.11	170.03	171.03

