



FRANCE ÉBAUCHES



Calibre

Bloc dessus

Bloc dessus

Ressort

Contre-pivot

Châton empierré

KIF 1

63	1-2566 ø 9	.31	1-2602 ø 9	.34	1-2	515	302 ø 9
68	1-2566 ø 8	.31	1-2601 ø 8	.24	1-2	515	302 ø 8
140	1-3557 ø 10	.41	1-3501 ø 10	.44	1-3	516	303 ø 10
140 A	1-3557 ø 10	.41	1-3501 ø 10	.44	1-3	516	303 ø 10
140 C	1-3557 ø 10	.41	1-3501 ø 10	.44	1-3	516	303 ø 10
140.1	1-3557 ø 10	.41	1-3501 ø 10	.44	1-3	516	303 ø 10
140.1 A	1-3557 ø 10	.41	1-3501 ø 10	.44	1-3	516	303 ø 10
140.2 A	1-3557 ø 10	.41	1-3501 ø 10	.44	1-3	516	303 ø 10
233-60	1-2573 ø 10	.31	1-2508 ø 10	.34	1-2	515	302 ø 10
233-68	1-2573 ø 10	.31	1-2508 ø 10	.34	1-2	515	302 ø 10
233-72	1-2573 ø 10	.31	1-2508 ø 10	.34	1-2	515	302 ø 10
3602	1-2579 ø 10	.31	1-2508 ø 10	.34	1-2	515	302 ø 10
3611	1-2579 ø 10	.31	1-2508 ø 10	.34	1-2	515	302 ø 10
3612	1-2579 ø 10	.31	1-2508 ø 10	.34	1-2	515	302 ø 10
4612	1-2579 ø 10	.31	1-2508 ø 10	.34	1-2	515	302 ø 10

KIF 3






140.1	3-3567 ø 10	.41	3-35 ø 10	.43	3-3	516	303 ø 10
-------	-------------	-----	-----------	-----	-----	-----	----------

KIF 4

140.1	4-3567 ø 10	.41	4-35 ø 10	.43	4-3	516	303 ø 10
-------	-------------	-----	-----------	-----	-----	-----	----------

KIF 5

68	5/6-2568 ø 8	.41	5/6-2601 ø 8	.24	5-3	516	303 ø 8
140	5/6-2670 ø 10	.41	5/6-2501 ø 10	.44	5-3	516	303 ø 10
140.1	5/6-2670 ø 10	.41	5/6-2501 ø 10	.44	5-3	516	303 ø 10

Calibre	 Bloc dessus	 Bloc dessous	 Ressort	 Contre-pivot	 Châton empierré
233-60	5/6-2576 ø 10 .41	5/6-2509 ø 10 .44	5-3	516	303 ø 10
233-72-21	5/6-2576 ø 10 .41	5/6-2509 ø 10 .44	5-3	516	303 ø 10
3611	5/6-2653 ø 10 .41	5/6-2509 ø 10 .44	5-3	516	303 ø 10
KIF 6					
68	6-2568 ø 8 .41	6-2601 ø 8 .24	6-2	516	303 ø 8
68 SOR	6-2580 ø 8 .42	6-2601 ø 8 .24	6-2	516	303 ø 8
140 A	6-2670 ø 10 .41	6-2501 ø 10 .44	6-2	516	303 ø 10
140.1	6-2670 ø 10 .41	6-2501 ø 10 .44	6-2	516	303 ø 10
233-72-21	6-2576 ø 10 .41	6-2509 ø 10 .44	6-2	516	303 ø 10
3602	6-2653 ø 10 .41	6-2509 ø 10 .44	6-2	516	303 ø 10
3612	6-2653 ø 10 .41	6-2509 ø 10 .44	6-2	516	303 ø 10

KIF 1					
8 F	1-2559 ø 9 .31	1-2508 ø 9 .34	1-2	515	302 ø 9
8 F SOR	1-2576 ø 9 .32	1-2508 ø 9 .34	1-2	515	302 ø 9
P 62	1-2573 ø 10 .31	1-2002 ø 10 .34	1-2	515	302 ø 10
P 62 SOR	1-2575 ø 10 .32	1-2002 ø 10 .34	1-2	515	302 ø 10
P 62 A	1-2573 ø 10 .31	1-2002 ø 10 .34	1-2	515	302 ø 10
P 72	1-2573 ø 10 .31	1-2002 ø 10 .34	1-2	515	302 ø 10
P 75	1-2573 ø 10 .31	1-2002 ø 10 .34	1-2	515	302 ø 10
83	1-2559 ø 9 .31	1-2508 ø 9 .34	1-2	515	302 ø 9
89 FS	1-2559 ø 9 .31	1-2508 ø 9 .34	1-2	515	302 ø 9
238	1-2573 ø 10 .31	1-2508 ø 10 .34	1-2	515	302 ø 10
514	1-2557 ø 9 .31	1-2508 ø 9 .34	1-2	515	302 ø 9

