

GRADE	ARBORS					ARM VIBRATING	BALANCE	BALANCE COMPLETE	BAND DUST	BAR SETTING	BARREL	BARREL HUB & SCREW	BUSHINGS		CAMS
	BARREL	PALLET	SETTING	SWEEP SECOND	WINDING								BARREL ARBOR	CENTER STAFF	
201	1759	2312			1775		1724-G.	4104-S. ‡4110-C.	1883		1784	1971			1787
202	1759	2312			1775		1724	4106	2145		1784	1971	2105		1787
203	1759	2312			1775		1724	4106	2145		1784	1971	2105		1787
204	1759	2312			1775		1724-G.	4104	2145		1784	1971	2106		1787
205	1759	2312			1775		1724-G.	4104-S. ‡4110-C.	2145		1784	1971			1787
206	X206	2311				2101	X249	4099			X291				
207	X190	X208				1735	X236	4052	2131		X269				
208	X190	X208				1736 *1737	X236	4052	2141		X269				
209	X206	2311				2101	X249	4099			X290				
210	1301	2309			1773		X242	4074	1308		X275				1313
211	1301	2309			1773		X242	4074	1308		X275				1313
212	1301	2309			1773		X242	4074	1539		X275				1313
213	1301	2309			1773		X242	4074	1539		X275				1313
214	1757	1762			1772		1779	4060	1740		1782	1969			
215	X190	X208				1736 †1737	X236	4052	2142		X265				
216	X206	2311				2101	X249	4099			X291				
217	X190	X208				1735	X236	4052	2131		X269				
218	X190	X208				1736 †1737	X236	4052	2141		X269				
219	X207	2312				1732	1724	4108			X292				
220	1301	2309			1773		X242	4074	1308		X275				1313
221	1301	2309			1773		X242	4074	1308		X275				1313
222	X207	2312				1732	1724	4108			X293				
223	X207	2312				1732	1724	4108			X293				
224	1759	2312			1775		1724	4107	1883		1784	1971	2105		1787
225	1759	2312			1775		1724	4107	2145		1784	1971	2105		1787
226	X190	X208				1777	X236	4067	2117	X45	X265				X46
227	X190	X208				X172	X236	4067	2142		X265				X174
228	X190	X208				1777	X236	4049	2131	X45	X269				X46
229	X190	X208				X172	X236	4049	2141		X269				X174
230	X206	X225				1307	X249	4101			X290				
231	X206	X225				1307	X249	4098			X290				
232	1715	1766			1774		1780	4092	1882		2100				1719
233	1715	1766			1774		1780	4092	1882		2100				1719
234	1715	1766			1774		1780	4092	2143		2100				1719
235	1715	1766			1774		1780	4092	2143		2100				1719
236	1758	1761			1774		1780-G.	4086	1882		1783	1970	2344		1786
237	1758	1761			1774		1780-G.	4086	2143		1783	1970	2344		1786
238	X188	X208					X236	4067	X251		X265				
239	1757	1762			1772		1779	4053-S. **4060-D.	1740		1782	1969	1887		
240	1757	1763			1772		1779	4058-S. ††4061-D.	1740		1782	1969			

*1737 began with Serial Number 8724001.
†1737 began with Serial Number 8764001.
*1737 began with Serial Number 8712001.
‡4110 began with Serial Number 14601001.
‡4110 began with Serial Number 11613201.

S. = Single Roller.
D. = Double Roller.
C. = Combination Roller.
**4060 began with Serial Number 10861001.
††4061 began with Serial Number 11098001.

Numbers appearing in italics will be found in the Elgin Genuine Material System and may be ordered by bottle or compartment number.

CAMMS	CAPS		CLAMPS								CLICK	CLICK FINISH	CLUTCHES		GRADE
	SETTING SPRING	ARBOR	RATCHET	BALANCE CAP UPPER	BALANCE CAP LOWER	CASE	MINUTE WHEEL	RATCHET	RATCHET WHEEL	RATCHET WHEEL FINISH			SETTING WHEEL	SETTING	
1790						2923		1794	A-6	2923	1804	A-5	1809	201	
1790								1794	E	1797	1804	E	1809	202	
1790								1794	E	1797	1804	E	1809	203	
1790								1794	E	1797	1804	C	1809	204	
1790						2923		1794	A-6	2923	1804	A-5	1809	205	
											<i>X143</i>			206	
											<i>2356</i>			207	
1741											<i>2356</i>			208	
											<i>X143</i>			209	
1314						1315					1316 <i>*1802</i>	F F	1807	210	
1314						1315					1316 <i>†1802</i>	F F	1807	211	
1314						1312					1316 <i>‡1802</i>	F F	1807	212	
1314						1312					1316 <i>‡1802</i>	F F	1807	213	
								1792	B	1796	1801	A-5	1806	214	
1741											<i>2356</i>			215	
											<i>X143</i>			216	
											<i>2356</i>			217	
1741											<i>2356</i>			218	
											<i>X350</i>			219	
1314						1315					1316 <i>*1802</i>	F F	1807	220	
1314						1315					1316 <i>†1802</i>	F F	1807	221	
											<i>X350</i>			222	
											<i>X350</i>			223	
1790								1794	E	1797	1804	F	1809	224	
1790								1794	E	1797	1804	F	1809	225	
											<i>2356</i>			226	
											<i>2356</i>			227	
											<i>2356</i>			228	
											<i>2356</i>			229	
											<i>X143</i>			230	
											<i>X143</i>			231	
						1795					1803	F	1808	232	
						1795					1803	F	1808	233	
						1795					1803	F	1808	234	
						1795					1803	F	1808	235	
1789						1795		1793	E-4		1803	B	1808	236	
1789						1795		1793	E-4		1803	B	1808	237	
											<i>X336</i>			238	
								1792	B	2569	1801	A-5	1806	239	
								1792	C	2569	1801	A-5	1806	240	

*1802 began with Serial Number 9837501.
†1802 began with Serial Number 9771101.
‡1802 began with Serial Number 9929001.
§1802 began with Serial Number 9935001.
¶1802 began with Serial Number 9985001.
⌘1802 began with Serial Number 9986701.

Numbers appearing in italics will be found in the Elgin Genuine Material System and may be ordered by bottle or compartment number.

GRADE	COLLETS		CUPS		DIAL	FORK	HANDS		HUBS		INDEX	JEWELS			
	BARREL ARBOR	HAIR SPRING	ARBOR	CENTER			HOUR AND MINUTE	SECOND	BARREL	BARREL ARBOR		BALANCE			
												HOLE		CAP	
												UPPER	LOWER	UPPER	LOWER
201		X359			0 ^s		0 ^s	0 ^s	1822	1818	1825	X455	X455	X463	1366
202		X359			0 ^s		0 ^s	0 ^s	1822	1818		X455	X455	2194	1366
203		X359			0 ^s		0 ^s	0 ^s	1822	1818		X455	X455	2194	1366
204		X359			0 ^s		0 ^s	0 ^s	1822	1818	1825	X455	X455	2194	1366
205		X359			0 ^s		0 ^s	0 ^s	1822	1818	1825	X455	X455	X463	1366
206		1818			6 ^s		6 ^s	6 ^s				X453	X453	2193	X466
207		X352			18 ^s	X3	18 ^s	18 ^s			1563	X443	X443	2191	1348
208		X352			18 ^s	X1	18 ^s	18 ^s			1563	X443	X443	2191	1348
209		1818			6 ^s		6 ^s	6 ^s				X453	X453	2193	X466
210		1818			16 ^s		16 ^s	16 ^s				X447	X447	2192	1350
211		1818			16 ^s		16 ^s	16 ^s				X447	X447	2192	1350
212		1818			16 ^s		16 ^s	16 ^s				X447	X447	2192	1350
213		1818			16 ^s		16 ^s	16 ^s				X447	X447	2192	1350
214		1811			18 ^s ¼	1814	18 ^s	18 ^s	1820	1816	1823	2086	2086	2071	1350
215		X352			18 ^s	X1	18 ^s	18 ^s			X435	X443	X443	2191	1348
216		1818			6 ^s		6 ^s	6 ^s				X453	X453	2193	X466
217		X352			18 ^s	X3	18 ^s	18 ^s			1563	X443	X443	2191	1348
218		X352			18 ^s	X1	18 ^s	18 ^s			1563	X443	X443	2191	1348
219		X359			0 ^s 1st.		0 ^s	0 ^s				X455	X455	2194	1366
220		1818			16 ^s		16 ^s	16 ^s				X447	X447	2192	1350
221		1818			16 ^s		16 ^s	16 ^s				X447	X447	2192	1350
222		X359			0 ^s 1st.		0 ^s	0 ^s				X455	X455	2194	1366
223		X359			0 ^s 1st.		0 ^s	0 ^s				X455	X455	2194	1366
224		X359			0 ^s		0 ^s	0 ^s	1822	1818		X455	X455	2194	1366
225		X359			0 ^s		0 ^s	0 ^s	1822	1818		X455	X455	2194	1366
226		X353			18 ^s	X1	18 ^s	18 ^s			X435	X443	X443	2191	1348
227		X353			18 ^s	X1	18 ^s	18 ^s			X435	X443	X443	2191	1348
228		X352			18 ^s	X1	18 ^s	18 ^s			1544	X443	X443	2191	1348
229		X352			18 ^s	X1	18 ^s	18 ^s			1544	X443	X443	2191	1348
230		X358			6 ^s		6 ^s	6 ^s				X453	X453	2193	X466
231		1818			6 ^s		6 ^s	6 ^s				X453	X453	2193	X466
232		2572			12 ^s		12 ^s	12 ^s				X453	X453	2193	X466
233		2572			12 ^s		12 ^s	12 ^s				X453	X453	2193	X466
234		2572			12 ^s		12 ^s	12 ^s				X453	X453	2193	X466
235		2572			12 ^s		12 ^s	12 ^s				X453	X453	2193	X466
236		2572			12 ^s		12 ^s	12 ^s	1821	1817	1824	X453	X453	X467	X466
237		2572			12 ^s		12 ^s	12 ^s	1821	1817	1824	X453	X453	X467	X466
238		X353	X360		18 ^s	X1	18 ^s -K.W.	18 ^s			X435	X443	X443	2191	1348
239		1811			18 ^s ¼	2074 *1814	18 ^s	18 ^s	1820	1816	1823	2086	2086	2087	1350
240		1811			18 ^s ¼	2074 †1814	18 ^s	18 ^s	1820	1816	1823	2086	2086	2087	1350

*1814 began with Serial Number 10861001.
†1814 began with Serial Number 11098001.

Numbers appearing in italics will be found in the Elgin Genuine Material System and may be ordered by bottle or compartment number.

JEWELS															GRADE
BARREL ARBOR		SWEEP SECOND ARBOR	CENTER		ESCAPE				FOURTH		PALLET				
UPPER	LOWER		UPPER	LOWER	HOLE		CAP		UPPER	LOWER	HOLE		CAP		
					UPPER	LOWER	UPPER	LOWER			UPPER	LOWER	UPPER	LOWER	
2188	2185		2215	1346	2229	X492			2242	X516	2266	2253			201
															202
					1378	1384			1400	1406	1419	2254			203
			2216	1346	2230	X492			1399	X516	2266	2253			204
2188	2185		2215	1346	2229	X492			2242	X516	2266	2253			205
															206
															207
															208
															209
															210
															211
															212
															213
2085	2084		2090	2089	2091	1380	2088	1360	2092	1402	2093	2249	2203	2200	214
															215
					1375	2221			1397	2235	2263	2252			216
					2226	2219			2239	2233	2259	2248			217
					2226	2219			2239	2233	2259	2248			218
															219
					1368	X486			1390	2235	2263	2426			220
					1368	X486			1390	2235	2263	2426			221
															222
					1378	1384			1400	1406	1419	2254			223
					1378				1400		1419				224
					1378				1400		1419				225
			2209	1341	2226	2219			2239	2233	2259	2248			226
			2209	1341	2226	2219			2239	2233	2259	2248			227
			2209	1341	2226	2219			2239	2233	2259	2248			228
			2209	1341	2226	2219			2239	2233	2259	2248			229
			2214		1375	1383			1397	1405	1418	2426			230
			2214		1375	1383			1397	1405	1418	2426			231
															232
					1368	1382			1390	1405	2265	2426			233
															234
					1368	1382			1390	1405	2265	2426			235
			2212	2207	2228	2182	2199	1362	1392	X514	2093	2250	2203	2202	236
			2212	2207	2228	2182	2199	1362	1392	X514	2093	2250	2203	2202	237
															238
			2090	2089	2091	1380	2088	1360	2092	1402	2093	2249	2203	2200	239
2085	2084		2090	2089	2224	2218			2092	1402	2260	2246			240

Numbers appearing in italics will be found in the Elgin Genuine Material System and may be ordered by bottle or compartment number.

GRADE	JEWELS				LEVERS				NUTS				PALLETS		
	THIRD		* ROLLER JEWEL	PALLETT STONE	CAM	CLUTCH	REGU-LATOR ADJUST-ING	SETTING	CENTER		MEAN TIME	REGU-LATOR	REGULA-TOR NUT AND SCREW	WITH STONES	AND FORK WITH STONES
	UPPER	LOWER							PINION	WHEEL					
201	2278	X544	X571 *2671-C.	X558-S.		1828	1833		1836		1549	2343		2590 *2680	
202			X571	X558-G.		1828	1833							2590	
203	1433	1439	X571	X558-G.		1828	1833		1836					2590	
204	1432	X544	X571	X558-G.		1828	1833		1836		1549	1551		2590	
205	2278	X544	X571 2671-C.	X558-S.		1828	1833		1836		1549	2343		2590 2680	
206			X570	X556-G.			1753							2589	
207			X559	X546-G.			X114						X4	X597	
208			X559	X546-G.			1742 †1743						X2	X596	
209			X570	X556-G.			1753							2589	
210			X559	X546-G.		1441	1443							X601	
211			X559	X546-G.		1441	1443							X601	
212			X559	X546-G.		1441	1443							X601	
213			X559	X546-G.		1441	1443							X601	
214	2094	1435	2075-D	X546-S.		1826	1831		1835	2792	X579	1837	2675	2676	
215			X559	X546-G.			1743						X2	X596	
216	1425	2271	X570	X556-G.			1753							2589	
217	2275	2269	X559	X546-G.			X114						X4	X597	
218	2275	2269	X559	X546-G.			1743						X2	X596	
219			X571	X558-G.			1725							2590	
220	1425	X538	X559	X546-G.		1441	1443							X601	
221	1425	X538	X559	X546-G.		1441	1443							X601	
222			X571	X558-G.			1725							2590	
223	1433	1439	X571	X558-G.			1725							2590	
224	1433		X571	X558-G.		1828	1833							2590	
225	1433		X571	X558-G.		1828	1833							2590	
226	2275	2269	X559	X546-G.			X48						X2	X596	
227	2275	2269	X559	X546-G.			X171						X2	X596	
228	2275	2269	X559	X546-G.			X48				X579	X584	X2	X596	
229	2275	2269	X559	X546-G.			X171				X579	X584	X2	X596	
230	1425	X538	X570	X556-G.			1445							2589	
231	1425	X538	X570	X556-G.			1445							2589	
232			X570	X556-G.		1827	1832							2971	
233	1425	X538	X570	X556-G.		1827	1832							2971	
234			X570	X556-G.		1827	1832							2971	
235	1425	X538	X570	X556-G.		1827	1832							2971	
236	1427	1436	X570	X556-G.		1827	1832				1548	1550		2971	
237	1427	1436	X570	X556-G.		1827	1832				1548	1550		2971	
238			X559	X546-G.									X2	X596	
239	2094	1435	X559 °2075-D.	X546-S.		1826	1831		1835	2792	X579	1837	2675	2078 *2676	
240	2094	1435	X559 †2075-D.	X546-S.		1826	1831		1835	2792	X579	1837	2675	2078 †2676	

Notes on Roller Jewel:
D. = Double Roller.
C. = Combination Roller.

*2671-C. began with Serial Number 14601001.
2680
||2671-C. began with Serial Number 11613201.
2680
†2075-D. began with Serial Number 11098001.
2676
°2075-D. began with Serial Number 10861001.
2676
†1743 began with Serial Number 8310001.

★There is considerable variation in the diameter of jewel pins or roller jewels used in the same grade of movements. In filling orders assorted diameters will be supplied.

†Two different forms of Pallets have been used, the difference being the thickness of Jewel or Stone required; those taking thin ones being known as New Style. In filling orders, unless Old Style is mentioned, the New Style will be sent.

Numbers appearing in italics will be found in the Elgin Genuine Material System and may be ordered by bottle or compartment number.

PALLET	PINIONS										PINS		PIVOT	RATCHET	GRADE
	FORK AND ARBOR WITH STONES	BEVEL	BEVEL SETTING	CANNON	CENTER	ESCAPE	FOURTH	SETTING	SUB CENTER	SWEEP SECOND	THIRD	BEVEL PINION	SETTING		
2596	1853		X650	1861	1868	1873				1880					201
‡2966	1853		X650	1862	1868	1874				1880					202
2596	1853		X650	1861	1868	1874				1880					203
2596	1853		X650	1861	1868	1874				1880					204
2596	1853		X650	1861	1868	1874				1880					205
*2966	1853		X650	1861	1868	1874				1880					205
2731	1752		1458	X670	X684	X695				1463	1754				206
X616	1739		X50	X652	X672	X7				X6					207
X615	1738		X180	X652	X672	X182				1876	1744				208
2731	1752		1458	X670	X684	X695				1463	1754				209
X622	1851		1457	X660	1461	X659				X700					210
X622	1851		1457	X660	1461	X691				X703					211
X622	1851		1457	X660	1461	X659				X700					212
X622	1851		1457	X660	1461	X691				X703					213
2079	1850		1855	1858	1864	1870				1877					214
X615	1738		X180	X652	X672	X182				1876	1744				215
2731	1752		1458	X670	X684	X695				1463	1754				216
X616	1739		X50	X652	X672	X7				X6					217
X615	1738		X180	X652	X672	X182				1876	1744				218
2596	1728		X650	X671	X685	X696				X708	X711				219
X622	1851		1457	X660	1461	X659				X700					220
X622	1851		1457	X660	1461	X691				X703					221
2596	1728		X650	X671	X685	X696				X708	X711				222
2596	1728		X650	X671	X685	X696				X708	X711				223
2596	1853		X650	1862	1868	1873				1880					224
2596	1853		X650	1862	1868	1874				1880					225
X615	1849		X50	X652	X672	X7				X6					226
X615	X178		X180	X652	X672	X182				1876	X179				227
X615	1849		X50	X652	X672	X7				X6					228
X615	X178		X180	X652	X672	X182				1876	X179				229
2731	1353		1458	X670	X684	X695				1463	1465				230
2731	1353		1458	X670	X684	X695				1463	1465				231
2985	1852		1856	1717	1867	1871				1878					232
2985	1852		1856	1717	1867	1871				1878					233
2985	1852		1856	1717	1867	1872				1878					234
2985	1852		1856	1717	1867	1872				1878					235
2984	1852		1856	1859	1866	1871				1878					236
2984	1852		1856	1859	1866	1872				1878					237
X615			X16	X652	X672	X7				X6				X10	238
2080	1850		1855	1858	1864	1870				1877					239
‡2684	1850		1855	1858	1864	1870				1877					239
2095	1850		1855	1858	1865	1870				1877					240
‡2685	1850		1855	1858	1865	1870				1877					240

†2966 began with Serial Number 14601001.
 *2966 began with Serial Number 11613201.
 ‡2684 began with Serial Number 10861001.
 ‡2685 began with Serial Number 11098001.

‡Two different forms of Pallets have been used, the difference being the thickness of Jewel or Stone required; those taking thin ones being known as New Style. In filling orders, unless Old Style is mentioned, the New Style will be sent.

GRADE	RING FRICTION	REGU-LATOR	★ROLLERS					SCREWS							
			COMBINATION		SAFETY	TABLE		ARM VIBRATING	BALANCE	BANKING	BAR SETTING	BRIDGE			
			WITHOUT PIN	WITH PIN		WITHOUT PIN	WITH PIN					ARBOR SWEEP SECOND	BARREL	BEVEL PINION	CENTER
201		4018	‡2652	‡2697		X761	2433		2284	‡837			2012		
202		1963				X761	2433		2728	2303			2012		
203		1963				X761	2433		2728	2303			2012		
204		1892				X761	2433		2284	2303			2012		
205		4018	‡2652	‡2697		X761	2433		2284	‡837			2012		
206		2179				X759	2432		1569	‡304			935		
207		1540				X749	2068		888	‡301				2298	
208		1540				X749	2068		888	‡301			1747	1999	
209		2179				X759	2432		1569	1577			935		
210		1468				X749	2068		1568	1575			1584		
211		1468				X749	2068		1568	1575			1584		
212		1468				X749	2068		1568	1575			1584		
213		1468				X749	2068		1568	1575			1584		
214		1889 *‡2644			1888	1884	2382		2042	2306			2036		
215		1540				X749	2068		888	800			1747	1999	
216		2179				X759	2432		1569	‡304			935		
217		1540				X749	2068		888	‡301				2298	
218		1540				X749	2068		888	‡301			1747	1999	
219		2180				X761	2433		2728	2300			899		
220		1468				X749	2068		1568	1575			1584		
221		1468				X749	2068		1568	1575			1584		
222		2180				X761	2433		2728	2300			899		
223		2180				X761	2433		2728	2300			899		
224		1963				X761	2433		2728	2303			2012		
225		1963				X761	2433		2728	2303			2012		
226		X722				X749	2068		888	890	907				
227		X722				X749	2068		888	890			893		
228		X720				X749	2068		888	‡301	907				
229		X720				X749	2068		888	‡301			893		
230		X745				X759	2432		1569	1577			935		
231		2179				X759	2432		1569	‡304			935		
232		2119				X759	2432		1997	2305			1999		
233		2119				X759	2432		1997	2305			1999		
234		2120				X759	2432		1997	2305			1999		
235		2120				X759	2432		1997	2305			1999		
236		1890				X759	2432		2282	2305			1999		
237		1961				X759	2432		2282	2305			1999		
238		X722				X749	2068		888	890					
239		1889 ‡2644			1888	1885 1884	2866 ‡2382		2042	2306			2036		
240		1889 ‡2644			1888	1885 1884	2866 ‡2382		2042	2306			2036		

*‡2644 began with Serial Number 13425501.
 ‡2652
 ‡2697 began with Serial Number 14601001.
 ‡2652
 ‡2697 began with Serial Number 11613201.
 1888
 1884 began with Serial Number 10861001.
 ‡2382

‡2644 began with Serial Number 14090001.
 1888
 1884 began with Serial Number 11098001.
 ‡2382

‡2644 began with Serial Number 13670001.
 *There is considerable variation in the diameter of jewel pins or roller jewels used in the same grade of movements. In filling orders assorted diameters will be supplied.

Numbers appearing in italics will be found in the Elgin Genuine Material System and may be ordered by bottle or compartment number.

SCREWS														GRADE		
PALLET	BRIDGE		CAM SETTING	CAM SETTING SPRING	CAP ARBOR	CAP BRIDGE	CAP RATCHET	CASE	CLAMP							
	WINDING								BALANCE JEWEL		CASE	MINUTE WHEEL	PALLET JEWEL		RATCHET	
	LONG	SHORT							UPPER	LOWER						
2013				2014				1595					2018			201
2013				2014				1595								202
2013				2014				1595								203
2013				2014				1595								204
2013				2014				1595					2018			205
1587								1594								206
								903								207
								903								208
1587								1594								209
894				1599				1591					926			210
894				1599				1591					926			211
894				1599				1591					926			212
894				1599				1591					926			213
2037								2034								214
								903								215
1587								1594								216
								903								217
								903								218
912								1595								219
894				1599				1591					926			220
894				1599				1591					926			221
912								1595								222
912								1595								223
2013				2014				1595								224
2013				2014				1595								225
	896	897						899	903							226
			898						903							227
	896	897						899	903							228
			898						903							229
1587								1594								230
1587								1594								231
2000								1998					2025			232
2000								1998					2025			233
2000								1998					2025			234
2000								1998					2025			235
2000				2002				1998					2025			236
2000				2002				1998					2025			237
								922	903							238
2037								2034								239
2037								2034								240

Numbers appearing in italics will be found in the Elgin Genuine Material System and may be ordered by bottle or compartment number.

GRADE	SCREWS														
	CLAMP		CLICK	CLUTCH SETTING	CUP ARBOR	COCK		DIAL	DIAL FOOT	HUB BARREL	INDEX	JEWEL			
	RATCHET WHEEL	SETTING WHEEL				BAL-ANCE	ESCAPE					BALANCE		BARREL LOWER	CENTER UPPER
			UPPER	LOWER											
201	2017	2018	2016			<i>2018</i>			2822	2431	2011	<i>2020</i>	<i>2020</i>	1607	<i>2020</i>
202	2017	2018	2016			<i>2018</i>			<i>2019</i>	2431		<i>2020</i>	<i>2020</i>		
203	2017	2018	2016			<i>2018</i>			<i>2019</i>	2431		<i>2020</i>	<i>2020</i>		
204	2017	2018	2016			<i>2018</i>			<i>2019</i>	2431	2011	<i>2020</i>	<i>2020</i>		<i>2020</i>
205	2017	2018	2016			<i>2018</i>			2822	2431	2011	<i>2020</i>	<i>2020</i>	1607	<i>2020</i>
206						<i>935</i>			1600			<i>1604</i>	<i>1604</i>		
207						<i>908</i> <i>*1749</i>			<i>911</i>		912	<i>913</i>	<i>913</i>		
208						<i>908</i> <i>†1749</i>			<i>911</i>		912	<i>913</i>	<i>913</i>		
209						<i>935</i>			1600			<i>1604</i>	<i>1604</i>		
210			1601			<i>1584</i>			<i>2438</i>			<i>913</i>	<i>913</i>		
211			1601			<i>1584</i>			<i>2438</i>			<i>913</i>	<i>913</i>		
212			1601			<i>1584</i>			<i>2438</i>			<i>913</i>	<i>913</i>		
213			1601			<i>1584</i>			<i>2438</i>			<i>913</i>	<i>913</i>		
214	2621	2038	2292			<i>2036</i>			<i>2039</i>	2429	910	<i>2293</i>	<i>913</i>	<i>2023</i>	<i>913</i>
215						<i>1749</i>			<i>911</i>		912	<i>913</i>	<i>913</i>		
216						<i>935</i>			1600			<i>1604</i>	<i>1604</i>		
217						<i>1749</i>			<i>911</i>		912	<i>913</i>	<i>913</i>		
218						<i>1749</i>			<i>911</i>		912	<i>913</i>	<i>913</i>		
219						<i>899</i>			<i>2440</i>			<i>2020</i>	<i>2020</i>		
220			1601			<i>1584</i>			<i>2438</i>			<i>913</i>	<i>913</i>		
221			1601			<i>1584</i>			<i>2438</i>			<i>913</i>	<i>913</i>		
222						<i>899</i>			<i>2440</i>			<i>2020</i>	<i>2020</i>		
223						<i>899</i>			<i>2440</i>			<i>2020</i>	<i>2020</i>		
224	2017	2018	2016			<i>2012</i>			<i>2019</i>	2431		<i>2020</i>	<i>2020</i>		
225	2017	2018	2016			<i>2012</i>			<i>2019</i>	2431		<i>2020</i>	<i>2020</i>		
226						<i>908</i>			<i>911</i>		912	<i>913</i>	<i>913</i>		<i>913</i>
227						<i>908</i>			<i>911</i>		912	<i>913</i>	<i>913</i>		<i>913</i>
228						<i>908</i>			<i>911</i>		912	<i>913</i>	<i>913</i>		<i>913</i>
229						<i>908</i>			<i>911</i>		912	<i>913</i>	<i>913</i>		<i>913</i>
230						<i>935</i>			1600			<i>1604</i>	<i>1604</i>		2294
231						<i>935</i>			1600			<i>1604</i>	<i>1604</i>		2294
232			2003			<i>1999</i>			<i>2438</i>			<i>1604</i>	<i>2049</i>		
233			2003			<i>1999</i>			<i>2438</i>			<i>1604</i>	<i>2049</i>		
234			2003			<i>1999</i>			<i>2438</i>			<i>1604</i>	<i>2049</i>		
235			2003			<i>1999</i>			<i>2438</i>			<i>1604</i>	<i>2049</i>		
236	2009		2003			<i>1999</i>			<i>2438</i>	2430	2024	<i>1604</i>	<i>2049</i>		2006
237	2009		2003			<i>1999</i>			<i>2438</i>	2430	2024	<i>1604</i>	<i>2049</i>		2006
238					910	<i>908</i>			<i>911</i>		912	<i>913</i>	<i>913</i>		
239	2621	2038	2292			<i>2036</i>			<i>2039</i>	2429	910	<i>913</i>	<i>913</i>		<i>913</i>
240	2621	2038	2292			<i>2036</i>			<i>2039</i>	2429	910	<i>913</i>	<i>913</i>	<i>2023</i>	<i>913</i>

*1749 began with Serial Number 7985001.
 †1749 began with Serial Number 9639001.

Numbers appearing in italics will be found in the Elgin Genuine Material System and may be ordered by bottle or compartment number.

SCREWS														GRADE	
JEWEL										LEVER					
CENTER	ESCAPE		FOURTH		PALLET				THIRD		CAM	CLUTCH	SETTING		REGULA-TOR ADJUST-ING
LOWER	UPPER	LOWER	UPPER	LOWER	UPPER	LOWER	CLAMP		UPPER	LOWER					
							UPPER	LOWER							
<i>2005</i>	<i>2020</i>		<i>2020</i>						<i>2020</i>			2439	2015	201	
												2439	2015	202	
	<i>2020</i>		<i>2020</i>						<i>2020</i>			2439	2015	203	
<i>2005</i>	<i>2020</i>		<i>2020</i>						<i>2020</i>			2439	2015	204	
<i>2005</i>	<i>2020</i>		<i>2020</i>						<i>2020</i>			2439	2015	205	
														206	
													916	207	
													1748	208	
														209	
												1996	1601	210	
												1996	1601	211	
												1996	1601	212	
												1996	1601	213	
<i>2023</i>	<i>913</i>	<i>913</i>	<i>913</i>	<i>1606</i>		<i>913</i>	<i>1994</i>		<i>913</i>	<i>1606</i>		1996	898	214	
													1748	215	
	<i>1604</i>		<i>1604</i>						<i>1604</i>					216	
	<i>913</i>		<i>913</i>		<i>913</i>				<i>913</i>				916	217	
	<i>913</i>		<i>913</i>		<i>913</i>				<i>913</i>				1748	218	
														219	
	<i>913</i>		<i>913</i>						<i>913</i>			1996	1601	220	
	<i>913</i>		<i>913</i>						<i>913</i>			1996	1601	221	
														222	
	<i>2020</i>		<i>2020</i>						<i>2020</i>					223	
	<i>2020</i>		<i>2020</i>						<i>2020</i>			2439	2015	224	
	<i>2020</i>		<i>2020</i>						<i>2020</i>			2439	2015	225	
	<i>913</i>		<i>913</i>		<i>913</i>				<i>913</i>				916	226	
	<i>913</i>		<i>913</i>		<i>913</i>				<i>913</i>				1608	227	
	<i>913</i>		<i>913</i>		<i>913</i>				<i>913</i>				916	228	
	<i>913</i>		<i>913</i>		<i>913</i>				<i>913</i>				1608	229	
	<i>1604</i>		<i>1604</i>						<i>1604</i>					230	
	<i>1604</i>		<i>1604</i>						<i>1604</i>					231	
												1722	1722	232	
	<i>1604</i>		<i>1604</i>						<i>1604</i>			1722	1722	233	
												1722	1722	234	
	<i>1604</i>		<i>1604</i>						<i>1604</i>			1722	1722	235	
<i>2005</i>	<i>1604</i>	<i>2005</i>	<i>1604</i>	<i>2005</i>		<i>2005</i>	<i>1994</i>		<i>1604</i>	<i>2005</i>		1722	1722	236	
<i>2005</i>	<i>1604</i>	<i>2005</i>	<i>1604</i>	<i>2005</i>		<i>2005</i>	<i>1994</i>		<i>1604</i>	<i>2005</i>		1722	1722	237	
														238	
<i>2023</i>	<i>913</i>	<i>913</i>	<i>913</i>	<i>1606</i>		<i>913</i>	<i>1994</i>		<i>913</i>	<i>1606</i>		1996	898	239	
<i>2023</i>	<i>913</i>		<i>913</i>						<i>913</i>			1996	898	240	

Numbers appearing in italics will be found in the Elgin Genuine Material System and may be ordered by bottle or compartment number.

GRADE	SCREWS															
	MAIN	MAIN WHEEL SEAT	MEAN TIME	PILLAR	PINION BEVEL SETTING	PLATE TOP	POTANCE	REGULATOR ADJUSTING	RING EXTENSION	SHIPPER SETTING	SPRING					
											VIBRATING ARM	CAM	CLICK	DRAG	CLUTCH LEVER	
201	2010					2012								2021		
202	2010					2012								2021		
203	2010					2012								2021		
204	2010					2012								2021		
205	2010					2012								2021		
206	2295					935					1995		928			
207	X63			921							925		910			
208	X63			921 *1612									910			
209	2295					935					1995		928			
210	1610					1584							1615			
211	1610					1584							1615			
212	1610					1584							1615			
213	1610					1584							1615			
214	2041					2035							1615		1615	
215	X63			921 *1612									910			
216	2295					935					1995		928			
217	X63			921							925		910			
218	X63			921 *1612									910			
219	920					899					1995		1617			
220	1610					1584							1615			
221	1610					1584							1615			
222	920					899					1995		1617			
223	920					899					1995		1617			
224	2010					2012							2021			
225	2010					2012							2021			
226	X54			921			922				925		910			
227	X63			921 *1612			922				913	898	910			
228	X54			921			922				925		910			
229	X63			921 *1612			922				913	898	910			
230	2295					935					1615		928			
231	2295					935					1615		928			
232	2007					1999							2004			
233	2007					1999							2004			
234	2007					1999							2004			
235	2007					1999							2004			
236	2007					1999							2004			
237	2007					1999							2004			
238				921			922									
239	2041					2035							1615		1615	
240	2041					2035							1615		1615	

*1612 used under cock.

Numbers appearing in italics will be found in the Elgin Genuine Material System and may be ordered by bottle or compartment number.

SCREWS											SEAT MAIN WHEEL	SHIPPER SETTING	SLEEVES		GRADE
SPRING			STOP		STUD HAIR SPRING	WHEEL				ARBOR WIND- ING			SUB CENTER		
REGU- LATOR	SETTING	SETTING LEVER	SETTING CAM	LEVER		INTER- WIND- ING	INTER- SET- TING	MINUTE	RATCHET		SETTING				
.....	2014	<i>1681</i>	1914	201
.....	2014	<i>1681</i>	1914	202
.....	2014	<i>1681</i>	1914	203
.....	2014	<i>1681</i>	1914	204
.....	2014	<i>1681</i>	1914	205
.....	904	1734	<i>1680</i>	206
.....	910	<i>934</i>	207
.....	928	<i>934</i>	208
.....	904	1734	<i>1680</i>	209
.....	1618	<i>934</i>	1601	1912	210
.....	1618	<i>934</i>	1601	1912	211
.....	1618	<i>934</i>	1601	1912	212
.....	1618	<i>934</i>	1601	1912	213
.....	1603	<i>934</i>	214
.....	928	<i>934</i>	215
.....	904	1734	<i>1680</i>	216
.....	910	<i>934</i>	217
.....	928	<i>934</i>	218
.....	926	1734	<i>1621</i>	219
.....	1618	<i>934</i>	1601	1912	220
.....	1618	<i>934</i>	1601	1912	221
.....	926	1734	<i>1621</i>	222
.....	926	1734	<i>1621</i>	223
.....	2014	<i>1621</i>	1914	224
.....	2014	<i>1621</i>	1914	225
.....	910	910	<i>934</i>	226
.....	928	<i>934</i>	227
.....	910	910	<i>934</i>	228
.....	928	<i>934</i>	229
.....	904	904	<i>1620</i>	230
.....	904	904	<i>1620</i>	231
.....	2001	1721	<i>1620</i>	1722	1913	232
.....	2001	1721	<i>1620</i>	1722	1913	233
.....	2001	1721	<i>1620</i>	1722	1913	234
.....	2001	1721	<i>1620</i>	1722	1913	235
.....	2001	<i>1620</i>	1913	236
.....	2001	<i>1620</i>	1913	237
.....	<i>1619</i>	238
.....	1603	<i>934</i>	239
.....	1603	<i>934</i>	240

Numbers appearing in italics will be found in the Elgin Genuine Material System and may be ordered by bottle or compartment number.

GRADE	SPRINGS											STAFF			STOP
	ARM VIBRATING	CAM	CLICK	HAIR		LEVER		MAIN		REGULATOR	SETTING	★BALANCE	CENTER	SUB CENTER	WINDING ARBOR SLEEVE
				NUMBER	STR'GTH	CLUTCH	SETTING	NUMBER	STR'GTH						
201			1898	X807	2			1713	.00525		1910	869-C.			
202			1898	X807	3			1713	.0055		1910	869			
203			1898	X807	3			1713	.0055		1910	869			
204			1898	X807	2			1713	.0055		1910	869-C.			
205			1898	X807	2			1713	.00525		1910	869-C.			
206	1755		X103	X805	5			X824	.007		1479	868	2360		
207	X61		X112	X791	4		X53	X812	.009			857	2357		
208			X112	X791	4			X812	.009		X129	857	2357		
209	1755		X103	X805	5			X824	.007		1479	868	2360		
210			1472 *1896	X796	6			X817	.008		1478	861	1482		
211			1472 †1896	X796	6			X817	.008		1478	861	1482		
212			1472 ▼1896	X796	6			X817	.008		1478	861	1482		
213			1472 ‡1896	X796	6			X817	.008		1478	861	1482		
214			1896	1958	1	1894	1900	1956	.00675	°2658		1901-C.			
215			X112	X791	4			X812	.009		X129	857	2357		
216	1755		X103	X805	5			X824	.007		1479	868	2360		
217	X61		X112	X791	4		X53	X812	.009			857	2357		
218			X112	X791	4			X812	.009		X129	857	2357		
219	1729		X776	X807	4			X825	.00625		X832	1731	2361		
220			1472 ‡1896	X796	6			X817	.008		1478	861	1482		
221			1472 ‡1896	X796	6			X817	.008		1478	861	1482		
222	1729		X776	X807	4			X825	.00625		X832	1731	2361		
223	1729		X776	X807	4			X825	.00625		X832	1731	2361		
224			1898	X807	4			1713	.0055		1910	869			
225			1898	X807	4			1713	.0055		1910	869			
226	X61		X112	X792	2		X53	X812	.00875		X52	857	2357		
227	X183	X173	X112	X792	2			X812	.00875		X129	857	2357		
228	X61		X112	X791	2		X53	X812	.00875		X52	857	2357		
229	X183	X173	X112	X791	2			X812	.00875		X129	857	2357		
230	1471		X103	X806	2		1258	X824	.007		1479	868	2360		
231	1471		X103	X805	3		1258	X824	.007		1479	868	2360		
232			1897	1959	3			1720	.0075		1909	1905	1716		
233			1897	1959	3			1720	.0075		1909	1905	1716		
234			1897	1959	3			1720	.0075		1909	1905	1716		
235			1897	1959	3			1720	.0075		1909	1905	1716		
236			1897	1959	1			1712	.00725		1908	1905-C.	1716		
237			1897	1959	1			1712	.00725		1908	1905-C.	1716		
238			X767	X792	2			X812	.009			857	870		
239			1896	1958	1	1894	1900	1966	.007	2658		1902-C. ■1901-C.			
240			1896	1958	1	1894	1900	1966	.007	2658		1902-C. □1901-C.			

†1896 began with Serial Number 9837501.
 ‡1898 began with Serial Number 9771101.
 *1896 began with Serial Number 9929001.
 †1896 began with Serial Number 9935001.
 ▼1896 began with Serial Number 9985001.
 ‡1896 began with Serial Number 9986701.
 ‡1896 began with Serial Number 9985001.
 °2658 began with Serial Number 13425501.
 ■1901-C. began with Serial Number 10861001.
 □1901-C. began with Serial Number 11098001.
 ★See notes on Balance Staffs in Special Information Section.

Numbers appearing in italics will be found in the Elgin Genuine Material System and may be ordered by bottle or compartment number.

STOP WORKS		STUDS			WASHERS							WHEELS			GRADE
MALE	FEMALE	HAIR SPRING	MAIN WHEEL	MEAN TIME	ARBOR	CENTER PINION	MAIN SCREW	MAIN SCREW FINISH	STAFF CENTER	WHEEL RATCHET	WHEEL RATCHET FINISH	CENTER	CENTER COM- PLETE	★ ESCAPE	
		853				1924	1921	A-6				1928-G.	1974-G.	993-S.	201
		853					1921	E				2335	1975	993	202
		853				1924	1921	E				1928	1974	993	203
		853				1924	1921	E				1928-G.	1974-G.	993-S.	204
		853				1924	1921	A-6				1928-G.	1974-G.	993-S.	205
		1481					X153		1555			2297	2167	991	206
		X843					X66		1553			2296	2157	981	207
		X843					X134		1553			2296	2157	981	208
		1481					X153		1555			2297	2167	991	209
		1480					1484	F	1554			1567	2067	985	210
		1480					1484	F	1554			1567	2067	985	211
		1480					1484	F	1554			1567	2067	985	212
		1480					1484	F	1554			1567	2067	985	213
		1916		2790		1923	1919	B-5				1926	1972	2168	214
		X843					X134		1553			2296	2157	981	215
		1481					X153		1555			2297	2167	991	216
		X843					X66		1553			2296	2157	981	217
		X843					X134		1553			2296	2157	981	218
		853							1556			1918	1714	993	219
		1480					1484	F	1554			1567	2067	985	220
		1480					1484	F	1554			1567	2067	985	221
		853							1556			1918	1714	993	222
		853							1556			1918	1714	993	223
		853					1921	F				2335	1975	993	224
		853					1921	F				2335	1975	993	225
		X844							1553			2296	2157	981	226
		X844					X134		1553			2296	2157	981	227
		X843							1553			2296	2157	981	228
		X843					X134		1553			2296	2157	981	229
		852					X153		1555			2297	2167	1490	230
		1481					X153		1555			2297	2167	1490	231
		1917					1920	F	1555			1927	2112	991	232
		1917					1920	F	1555			1927	2112	991	233
		1917					1920	F	1555			1927	2112	991	234
		1917					1920	F	1555			1927	2112	991	235
		1917					1920	E-4	1555			1927-G.	1973-G.	1490-S.	236
		1917					1920	E-4	1555			1927-G.	1973-G.	1490-S.	237
		X844							1553			2296	2314	981	238
		1916		2790		1923	1919	B-5				1926	1972	2168	239
		1916		2790		1923	1919	C				1926	1972	2168	240

★Two diameters of escape wheels have been made in 18, 16 and 6 sizes. The larger being known as New Style (N.S.) which will be supplied unless Old Style (O.S.) is ordered.

Numbers appearing in italics will be found in the Elgin Genuine Material System and may be ordered by bottle or compartment number.

GRADE	WHEELS														
	★ ESCAPE AND PINION	FIRST	FIRST COM- PLETE	FOURTH	FOURTH AND PINION	HOUR	INTERMEDIATE		MAIN		MINUTE	RATCHET		RING	SETTING
							SETTING	WIND- ING	NUMBER	FINISH		NUMBER	FINISH		
201	1979-S.	1934	2178	1986	1045	1943	A-2	1063	1951	A-2	1940
202	1979	1934	1021	1987	1045	1943	E-6	1063	1951	E-6	1940
203	1979	1934	1021	1987	1045	1943	E-5	1063	1951	E-5	1940
204	1979-S.	1934	2178	1987	1045	1943	E-3	1063	1951	E-3	1940
205	1979-S.	1934	2178	1987	1045	1943	A-2	1063	1951	A-2	1940
206	1006	1019	1034	1937	X109	X154	1500	X108	1502
207	994	1008	1022	X59	X58	X38	X65	1062	X39	X57
208	994	1008	1024	X186	X177	X175	X187	X39	X176 *1953
209	1006	1019	1034	1937	X109	X154	1500	X108	1502
210	1493	1019	X657	1496	1498	F.	1499	1501	F.
211	1493	1019	1030	1496	1498	F.	1499	1501	F.
212	1493	1019	X657	1496	1498	F.	1499	1501	F.
213	1493	1019	1030	1496	1498	F.	1499	1501	F.
214	1976	1932	2081	1983	1935	1941	A-5	1945	1950	A.	1939
215	994	1008	1024	X186	X177	X175	X187	X39	X176 †1953
216	1006	1019	1034	1937	X109	X154	1500	X108	1502
217	994	1008	1022	X59	X58	X38	X65	1062	X39	X57
218	994	1008	1024	X186	X177	X175	X187	X39	X176 *1953
219	1007	1021	1035	1045	1049	1054	1063	1069	1073
220	1493	1019	X657	1496	1498	F.	1499	1501	F.
221	1493	1019	1030	1496	1498	F.	1499	1501	F.
222	1007	1021	1035	1045	1049	1054	1063	1069	1073
223	1007	1021	1035	1045	1049	1054	1063	1069	1073
224	1979	1934	1021	1986	1045	1943	F.	1063	1951	F.	1940
225	1979	1934	1021	1987	1045	1943	F.	1063	1951	F.	1940
226	994	1008	1022	X59	X58	X38	X56	1062	1064	X57
227	994	1008	1024	X186	X177	X175	X187	X39	X176
228	994	1008	1022	X59	X58	X38	X56	1062	1064	X57
229	994	1008	1024	X186	X177	X175	X187	X39	X176
230	1495	1019	1034	1937	1497	X109	X154	1500	X108	1502
231	1495	1019	1034	1937	1497	X109	X154	1500	X108	1502
232	1906	1930	1984	1936	1942	F.	1946	1718	F.
233	1906	1930	1984	1936	1942	F.	1946	1718	F.
234	1906	1930	1985	1936	1942	F.	1946	1718	F.
235	1906	1930	1985	1936	1942	F.	1946	1718	F.
236	2113	1933	1930	1984	1936	1942	E-2	1946	1964	E-2
237	2113	1933	1930	1985	1936	1942	E-2	1946	1964	E-2
238	994	1008	1022	1036	1055
239	1976	1932	2081	1983	1935	1941	A-5	1945	1950	A-1	1939
240	1977	1932	2081	1983	1935	1941	A-4	1945	1950	A-18	1939

*1953 began with Serial Number 8724001.
 †1953 began with Serial Number 8764001.
 ‡1953 began with Serial Number 8712001.

★Two diameters of escape wheels have been made in 18, 16 and 6 sizes.
 The larger being known as New Style (N.S.) which will be supplied unless Old
 Style (O.S.) is ordered.

Numbers appearing in italics will be found in the Elgin Genuine Material System and may be ordered by bottle or compartment number.

