

GRADE	ARBORS					ARM VIBRATING	BALANCE	BALANCE COMPLETE	BAND DUST	BAR SETTING	BARREL	BARREL HUB & SCREW	BUSHINGS		CAMs
	BARREL	PALLET	SETTING	SWEEP SECOND	WINDING								BARREL ARBOR	CENTER STAFF	
361	1301	X214	.....	.....	2052	.....	X242-G.	4077	2554	.....	X277	.....	.....	.....	.....
362	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
363	1715	2310	.....	.....	1774	.....	1780	4090   4093	2098 *2914	.....	2100 2177	.....	.....	.....	1719
364	1715	2310	.....	.....	1774	.....	1780	4090 •4093	2144	.....	2100 2177	.....	.....	.....	1719
365	1301	2309	.....	.....	1773	.....	X242	4072 □4081	2555	.....	X275	.....	.....	.....	1313
366	1301	2309	.....	.....	1773	.....	X242	4072 **4081	2556	.....	X275	.....	.....	.....	1313
367	1757	1762	.....	.....	1772	.....	1779	4060	1740	.....	1782	1969	1887	.....	.....
368	2548	1763	.....	.....	1772	.....	X236	4063	2140	.....	2557	.....	.....	.....	.....
369	2548	1763	.....	.....	1772	.....	X236	4063	1740	.....	2557	.....	.....	.....	.....
370	2549	X214	.....	.....	2052	.....	X242-G.	4077	2554	.....	2558	2564	2565	.....	.....
371	2549	X214	.....	.....	2052	.....	X242-G.	4077	2553	.....	2558	2564	.....	.....	.....
372	2549	X214	.....	.....	2052	.....	X242-G.	4077	2554	.....	2558	2564	.....	.....	.....
373	2549	1304	.....	.....	2052	.....	X242-G.	4077	2553	.....	2558	2564	2565	.....	.....
374	2549	1304	.....	.....	2052	.....	X242-G.	4077	2554	.....	2558	2564	2565	.....	.....
375	2549	1304	.....	.....	2052	.....	X242-G.	4077	2554	.....	2558	2564	2565	.....	.....
376	2549	1304	.....	.....	2052	.....	X242-G.	4076	2554	.....	2558	2564	.....	.....	.....
377	2053	2312	.....	.....	1775	.....	1724	4112	1883	.....	2132	.....	.....	.....	1787
378	X190	X208	.....	.....	.....	.....	1735	X236	4050	2131	.....	X269	.....	.....	.....
379	X190	X208	.....	.....	.....	.....	1737	X236	4050	2141	.....	X269	.....	.....	.....
380	1760	2550	.....	.....	2551	.....	2552	4116	.....	.....	2560	.....	.....	.....	1788
381	1301	2309	.....	.....	1773	.....	X242	4071 *4079	2553	.....	X275	.....	.....	.....	1313
382	1301	2309	.....	.....	1773	.....	X242	4071 †4079	2554	.....	X275	.....	.....	.....	1313
383	1715	2310	.....	.....	1774	.....	1780	4090 *4093	1882	.....	2100 2177	.....	.....	.....	1719
384	1715	2310	.....	.....	1774	.....	1780	4090 †4093	2143	.....	2100 2177	.....	.....	.....	1719
385	2548	1763	.....	.....	1772	.....	X236-G.	4062	1740	.....	2557	.....	.....	.....	.....
386	1301	2309	.....	.....	1773	.....	X242	4072 *4081	2553	.....	X275	.....	.....	.....	1313
387	1301	2309	.....	.....	1773	.....	X242	4072 †4081	2554	.....	X275	.....	.....	.....	1313
388	1301	1304	.....	.....	2052	.....	X242-G.	4078	2554	.....	X275	.....	.....	.....	.....
389	2548	1762	.....	.....	1772	.....	X236-G.	4062	1740	.....	2557	.....	.....	.....	.....
390	1757	1762	.....	.....	1772	.....	1779	4061	1740	.....	1782	1969	1887	.....	.....
391	2549	1304	.....	.....	2052	.....	X242-G.	4077	2554	.....	2558	2564	2565	.....	.....
392	2732	2733	.....	.....	2734	.....	2735	4741	2736	.....	2737	.....	.....	.....	2738
393	1715	2310	.....	.....	1774	.....	1780	4095	2914	.....	2177	.....	.....	.....	1719
394	1715	2310	.....	.....	1774	.....	1780	4095	2915	.....	2177	.....	.....	.....	1719
395	1715	2310	.....	.....	1774	.....	1780	4093	2914	.....	2177	.....	.....	.....	1719
396	1715	2310	.....	.....	1774	.....	1780	4093	2915	.....	2177	.....	.....	.....	1719
397	1301	2309	.....	.....	1773	.....	X242	4080	2553	.....	X275	.....	.....	.....	1313
398	1301	2309	.....	.....	1773	.....	X242	4080	2554	.....	X275	.....	.....	.....	1313
399	2637	2550	.....	.....	2551	.....	2552	4116	.....	.....	4154	.....	.....	.....	1788
400	2548	1763	.....	.....	1772	.....	X236	4063	1740	.....	2557	.....	.....	.....	.....

||4093 began with Serial Number 15539001.  
 \*2914 when extended to 16 size.  
 •4093 began with Serial Number 15880001.  
 □4081 began with Serial Number 15988001.  
 \*\*4081 began with Serial Number 16439901.  
 \*4079 began with Serial Number 16168201.

†4079 began with Serial Number 16206901.  
 †4093 began with Serial Number 15617501.  
 †4093 began with Serial Number 15642001.  
 †4081 began with Serial Number 16502601.  
 †4081 began with Serial Number 16531001.

Numbers appearing in italics will be found in the Elgin Genuine Material System and may be ordered by bottle or compartment number.

CAMS	CAPS		CLAMPS								CLICK	CLICK FINISH	CLUTCHES		GRADE
	SETTING SPRING	ARBOR	RATCHET	BALANCE CAP UPPER	BALANCE CAP LOWER	CASE	MINUTE WHEEL	RATCHET	RATCHET WHEEL	RATCHET WHEEL FINISH			SETTING WHEEL	SETTING	
						1315						1802	A-5	1807	361
															362
						2099						1803	A-17	1808	363
						2099						1803	A-17	1808	364
1314						1312						1802	A-17	1807	365
1314						1312						1802	A-17	1807	366
								1792	C.	2569		1801	A-5	1806	367
										2569		1801	A-6	1806	368
										2569		1801	A-6	1806	369
						1315		2568	C.			1802	A-5	1807	370
						1315		2568	C.			1802	A-5	1807	371
						1315		2568	C.			1802	A-5	1807	372
						1315		2568	C.			1802	A-5	1807	373
						1315		2568	C.			1802	A-5	1807	374
						1315		2568	B.			1802	A-5	1807	375
						1315		2568	B.			1802	A-5	1807	376
1790						2672				2672		1804	A-17	1809	377
												2356			378
2536						2045						2356			379
1791						2567				2567		1805	C-3	1810	380
1314						1315						1802	B.	1807	381
1314						1315						1802	B.	1807	382
						1795						1803	B.	1808	383
1789						1795						1803	B.	1808	384
										2569		1801	A-5	1806	385
1314						1315						1802	C-3	1807	386
1314						1315						1802	C-3	1807	387
						1315						1802	A-5	1807	388
										2569		1801	A-5	1806	389
								1792	C.	2569		1801	A-5	1806	390
						1315		2568	C.			1802	A-5	1807	391
2739						2740						2742	B-7	2741	392
						2099						1803	G-1	1808	393
						2099						1803	G-1	1808	394
						2099						1803	A-17	1808	395
						2099						1803	A-17	1808	396
1314						1315						1802	A-6	1807	397
1314						1315						1802	A-6	1807	398
1791						2567				2567		1805	A-17	1810	399
										2569		1801	A-6	1806	400

Numbers appearing in italics will be found in the Elgin Genuine Material System and may be ordered by bottle or compartment number.

GRADE	COLLETS		CUPS		DIAL	FORK	HANDS		HUBS		INDEX	JEWELS			
	BARREL ARBOR	HAIR SPRING	ARBOR	CENTER			HOUR AND MINUTE	SECOND	BARREL	BARREL ARBOR		BALANCE			
												HOLE		CAP	
												UPPER	LOWER	UPPER	LOWER
361		1318			16s	1814	16s	16s			1331	2086	2086	1349	1350
362															
363		2572			12s		12s	12s				X453	X453 †4806	2193	X466
364		2572			12s		12s	12s				X453	X453 †4806	2193	X466
365		1318			16s		16s	16s				X447	X447	2192	1350
366		1318			16s		16s	16s				X447	X447	2192	1350
367		1811			18s 3/4	1814	18s	18s	1820	1816	1823	2086	2086	2087	1350
368		1318			18s 3/4	2574	18s	18s			1823	X447	X447	2192	1350
369		1318			18s 3/4	2574	18s	18s			1823	X447	X447	2192	1350
370		1318			16s	1814	16s	16s	2575	2576	2577	2580	2580	1349	1350
371		1318			16s	1814	16s	16s	2575	2576	2577	2580	2580	1349	1350
372		1318			16s	1814	16s	16s	2575	2576	2577	2580	2580	1349	1350
373		1318			16s	1814	16s	16s	2575	2576	2577	2580	2580	1349	1350
374		1318			16s	1814	16s	16s	2575	2576	2577	2580	2580	1349	1350
375		1318			16s	1814	16s	16s	2575	2576	2577	2580	2580	1349	1350
376		1318			16s	1814	16s	16s	2575	2576	2577	2086	2086	2584	2585
377		X359			0s		0s	0s			1825	X455	X455	2194	1356
378		X352			18s	X3	18s	18s			1544	X443	X443	2191	1343
379		X352			18s	X1	18s	18s			1544	X443	X443	2191	1343
380		2744			5/0s		5/0s	5/0s		1819		2189	2189	2196	2190
381		1318			16s	X1 *2574	16s	16s			4356	X447	X447	2192	1350
382		1318			16s	X1	16s	16s			4356	X447	X447	2192	1350
383		2572			12s		12s	12s			1824	X453	X453   4806	2193	X466
384		2572			12s		12s	12s			1824	X453	X453 *4806	2193	X466
385		1318			18s 3/4	2574	18s	18s			1823	2580	2580	1349	1350
386		1318			16s		16s	16s			4356	X447	X447	2192	1350
387		1318			16s		16s	16s			4356	X447	X447	2192	1350
388		1318			16s	2574	16s	16s			2577	2580	2580	1349	1350
389		1318			18s 3/4	2574	18s	18s			1823	2086	2086	1349	1350
390		1811			18s 3/4	1814	18s	18s	1820	1816	1823	2580	2580	2087	1350
391		1318			16s	1814	16s	16s	2575	2576	2577	2580	2580	1349	1350
392		2743			12s Spec.		12s	12s		2745	2746	2926	2926	2839	X466
393		2572			12x16s		12x16s	12x16s				X453	4806	2193	X466
394		2572			12x16s		12x16s	12x16s				X453	4806	2193	X466
395		2572			12x16s		12x16s	12x16s				X453	4806	2193	X466
396		2572			12x16s		12x16s	12x16s				X453	4806	2193	X466
397		1318			16s		16s	16s			4356	X447	X447	2192	1350
398		1318			16s		16s	16s			4356	X447	X447	2192	1350
399		2744			5/0s		5/0s	5/0s		1819		2189	2189	2196	2190
400		1318			18s 3/4	2574	18s	18s			1823	X447	X447	2192	1350

\*2574 began with Serial Number 16168201.  
 †4806 began with Serial Number 15396001.  
 ‡4806 began with Serial Number 15230001.  
 †4806 began with Serial Number 15289001.  
 ‡4806 began with Serial Number 14630001.

Numbers appearing in italics will be found in the Elgin Genuine Material System and may be ordered by bottle or compartment number.

JEWELS															GRADE
BARREL ARBOR		SWEEP SECOND ARBOR	CENTER		ESCAPE				FOURTH		PALLET				
UPPER	LOWER		UPPER	LOWER	HOLE		CAP		UPPER	LOWER	HOLE		CAP		
					UPPER	LOWER	UPPER	LOWER			UPPER	LOWER	UPPER	LOWER	
			1336	1344	1370	1381			1392	2234	2262	2251			361
															362
					1368	2221 1382			1390	2235 1405	2265 *2267	2252 2426			363
					1368	2221 *1382			1390	2235 *1405	2265 *2267	2252 *2426			364
					1368	2221 X486			1390	2235 X510	2263	2252 2426			365
					1368	2221 **X486			1390	2235 **X510	2263	2252 **2426			366
			2090	2089	2091	1380	2088	1360	2092	1402	2093	2249	2203	2200	367
			2209	2089	2226	2219			2239	2233	2588 *2936	2248			368
			2209	2089	2226	2219			2239	2233	2588 *2936	2248			369
			1336	1343	1370	2220 1381			1392	2234 1403	2262	2251 2428			370
2586	2587		1336	1343	1370	2220 1381			1392	2234 1403	2262	2251 2428			371
2586	2587		1336	1343	1370	2220 *1381			1392	2234 *1403	2262	2251 *2428			372
			1336	1343	1371	2182	2199	1362	1392	2234 >1403	2093	2250	2203	2202	373
			1336	1343	1371	2182	2199	1362	1392	2234	2093	2250	2203	2202	374
			1336	1343	1371	2182	2199	1362	1392	2234 *1403	2093	2250	2203	2202	375
2586	2587		1336	1343	1371	2182	2199	1362	1392	1403	2093	2250	2203	2202	376
					1378	1384			1400	1406	1419	2254			377
			2209	1341	2226	2219			2239	2233	2259	2248			378
			2209	1341	2226	2219			2239	2233	2259	2248			379
					2232	2223 ††2938			2245	2237 ††2930	2268	2256 ††2943			380
			2209	1343	1368	2221 **X486			1390	2235 **X510	2263	2252 **2426			381
			2209	1343	1368	2221 ††X486			1390	2235 ††X510	2263	2252 ††2426			382
			2213	2207	1368	2221 **X486			1390	2235 **1405	2265 *2267	2252 *2426			383
			2213	2207	1368	2221 **X486			1390	2235 **1405	2265 *2267	2252 **2426			384
			2090	2089	2224	2218			2092	1402	2260   2361	2246			385
			2209	1343	1368	2221 **X486			1390	2235 **X510	2263	2252 **2426			386
			2209	1343	1368	2221 **X486			1390	2235 **X510	2263	2252 **2426			387
			1336	1343	1371	2182	2199	1362	1392	2234 □1403	2093	2250	2203	2202	388
			2090	2089	2091	1380	1357	1360	2092	1402	2093	2249	2203	2200	389
			2090	2089	2091	1380	2088	1360	2092	1402	2093	2249	2203	2200	390
			1336	1343	1371	2182	2199	1362	1392	2234 1403	2093	2250	2203	2202	391
			2212	2207	1370	X490			1392	X514	2749	2428			392
															393
															394
					1368	1382			1390	1405	2267	2426			395
					1368	1382			1390	1405	2267	2426			396
			2209	1343	1368	X486			1390	X510	2263	2426			397
			2209	1343	1368	X486			1390	X510	2263	2426			398
					2232	2938			2245	2930	2268	2943			399
			2209	2089	2226	2219			2239	2233	2588	2248			400

†1382, 1405 & 2426 began with Serial No. 15500601.  
 \*2267 began with Serial No. 15539101.  
 •(1382 & 1405) began with Serial No. 15880001.  
 †2267 & 2426 began with Serial No. 15872001.  
 \*\*X486, X510 & 2426 began with Serial No. 15501401.  
 °2936 began with Serial No. 15463501.  
 ††2936 began with Serial Number 15464601.  
 §1381, 1403 & 2428 began with Serial No. 15681101.  
 †1381, 1403 & 2428 began with Serial No. 16186001.  
 †1381, 1403 & 2428 began with Serial No. 15724001.  
 >1403 began with Serial No. 16205001.  
 ††2938, 2930 & 2943 began with Serial No. 15809001.  
 †X486, X510 & 2426 began with Serial No. 15875501.  
 ††X486, X510 & 2426 began with Serial No. 15934001.  
 °°(X486 & 1405) began with Serial No. 15811001.  
 ††2267 & 2426 began with Serial No. 15468401.  
 \*2267 began with Serial No. 15877801.  
 ††2261 began with Serial No. 15330501.  
 ††X486, X510 & 2426 began with Serial No. 15814001.  
 ••X486, X510 & 2426 began with Serial No. 15879501.  
 °1403 began with Serial No. 16096001.  
 \*1403 began with Serial No. 16092001.  
 †1403 began with Serial No. 15940001.

GRADE	JEWELS				LEVERS				NUTS					PALLETS	
	THIRD		★ ROLLER JEWEL	■ PALLET STONE	CAM	CLUTCH	REGU- LATOR ADJUST- ING	SETTING	CENTER		MEAN TIME	REGU- LATOR	REGULA- TOR NUT AND SCREW	WITH STONES	AND FORK WITH STONES
	UPPER	LOWER							FINION	WHEEL					
361	1427	2270	2075-D.	X546-S.			2154					1446	1447	2675	2676
362															
363	1425	2271   X538	X570 X570-C.	X556-G.			1827								2589 2865
364	1425	2271 ●●X538	X570 *X570-C.	X556-G.			1827								2589 *2865
365	1425	2271 □X538	X559 *X559-C.	X546-G.			1441								2345 ●2891
366	1425	2271 **X538	X559 X559-C.	X546-G.			1441								2345 12891
367	2094	1435	2075-D.	X546-S.			1826		1835	2792	X579	1837	2675	2676	
368	2275	2269	X559-C.	X546-G.			1826				X579	1837	X2	2677	
369	2275	2269	X559-C.	X546-G.			1826				X579	1837	X2	2677	
370	1427	2270 \$1436	2075-D.	X546-S.			2154				2793	1446	1447	2675	2676
371	1427	2270 -1436	2075-D.	X546-S.			2545				2793	1446	1447	2675	2676
372	1427	2270 ▲1436	2075-D.	X546-S.			2154				2793	1446	1447	2675	2676
373	1427	2270 >1436	2075-D.	X546-S.			2545				2793	1446	1447	2675	2676
374	1427	2270	2075-D.	X546-S.			2154				2793	1446	1447	2675	2676
375	1427	2270 *1436	2075-D.	X546-S.			2154				2793	1446	1447	2675	2676
376	1427	1436	2075-D.	X546-R. X546-S.			2154				2793	1446	1447	2674-R. 2675-S.	2682-R. 2676-S.
377	1433	1439	X571-C.	X558-G.			1828				1549	1551			2681
378	2275	2269	X559	X546-G.							X579	X584	X4	X597	
379	2275	2269	X559	X546-G.							X579	X584	X2	X596	
380	2281	2273 †2933	2150-C.	2151-G.			1829								2683
381	1425	2271 *X538	X559 **X559-C.	X546-G.			1441				1446	1447	X2	X596 ▲2677	
382	1425	2271 †X538	X559 ††X559-C.	X546-G.			1441				1446	1447	X2	X596 ††2891	
383	1425	2271 °X538	X570 **X570-C.	X556-G.			1827				1548	1550			2589 **2865
384	1425	2271 □X538	X570 ††X570-C.	X556-G.			1827				1548	1550			2589 ††2865
385	2094	1435	2075-C.	X546-S.			1826				2793	X579	1837	2675	2978
386	1425	2271 **X538	X559 °°X559-C.	X546-G.			1441				1446	1447			2345 °°2891
387	1425	2271 §§X538	X559 *X559-C.	X546-G.			1441				1446	1447			2345 ▲2891
388	1427	2270 □□1436	2075-C.	X546-S.			2154				2793	1446	1447	2675	2676
389	2094	1435	2075-C.	X546-S.			1826				2793	X579	1837	2675	2978
390	2094	1435	2075-D.	X546-S.			1826		1835	2792	X579	1837	2675	2676	
391	1427	2270 ▲▲1436	2075-D.	X546-S.			2154				2793	1446	1447	2675	2676
392	1427	1436	2670-C.	X556-S.			2751				1548	2753			2977
393			X570-C.	X556-G.			1827								2865
394			X570-C.	X556-G.			1827								2865
395	1425	X538	X570-C.	X556-G.			1827								2865
396	1425	X538	X570-C.	X556-G.			1827								2865
397	1425	X538	X559-C.	X546-G.			1441				1446	1447			2891
398	1425	X538	X559-C.	X546-G.			1441				1446	1447			2891
399	2281	2933	2150-C.	2151-G.			1829								2683
400	2275	2269	X559-C.	X546-G.			1826				X579	1837	X2	2677	

||X538 began with Serial Number 1550601.      \*X538 began with Serial Number 15875501.      °X559-C & 2891 began with Serial Number 15988001.  
 \*X538 began with Serial Number 15880001.      †X538 began with Serial Number 15934001.      †X559-C & 2891 began with Serial Number 16439901.  
 □X538 began with Serial Number 15872001.      °X538 began with Serial Number 15811001.      ▲X559-C & 2677 began with Serial Number 16168201.  
 \*X538 began with Serial Number 15501401.      °X538 began with Serial Number 15468401.      ††X559-C & 2891 began with Serial Number 16206901.  
 \$1436 began with Serial Number 15681101.      \*\*X538 began with Serial Number 15814001.      \*X570-C & 2865 began with Serial Number 15617501.  
 -1436 began with Serial Number 16186001.      ††X538 began with Serial Number 15870501.      ††X570-C & 2865 began with Serial Number 15642001.  
 †1436 began with Serial Number 15724001.      §§X538 began with Serial Number 16096001.      °°X559-C & 2891 began with Serial Number 15602601.  
 †1436 began with Serial Number 16205001.      ▲▲1436 began with Serial Number 15940001.      \*X559-C & 2891 began with Serial Number 16531001.  
 >1436 began with Serial Number 16052001.      ||X570-C & 2865 began with Serial Number 15539001.      On Roller Jewels:  
 †2933 began with Serial Number 15809001.      \*X570-C & 2865 began with Serial Number 15880001.      D = Double Roller.      C = Combination Roller.

\*There is considerable variation in the diameter of jewel pins or roller jewels used in the same grade of movements. In filling orders assorted diameters will be supplied.

Numbers appearing in italics will be found in the Elgin Genuine Material System and may be ordered by bottle or compartment number.

PALLET	PINIONS										PINS		PIVOT	RATCHET	GRADE
	FORK AND ARBOR WITH STONES	BEVEL	BEVEL SETTING	CANNON	CENTER	ESCAPE	FOURTH	SETTING	SUB CENTER	SWEEP SECOND	THIRD	BEVEL PINION	SETTING		
2592	1851	.....	1457	X660	1461	X691	.....	.....	.....	X703	.....	.....	.....	.....	361
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	362
2985  2803	1852	.....	1856	1717	1867	1871	.....	.....	.....	1878	.....	.....	.....	.....	363
*2985 +2803	1852	.....	1856	1717	1867	1872	.....	.....	.....	1878	.....	.....	.....	.....	364
X622 *2884	1851	.....	1457	X660	1461	X659	.....	.....	.....	X700	.....	.....	.....	.....	365
X622 \$2884	1851	.....	1457	X660	1461	X691	.....	.....	.....	X703	.....	.....	.....	.....	366
2684	1850	.....	1855	1858	1864	1870	.....	.....	.....	1877	.....	.....	.....	.....	367
2591	1850	.....	1855	2598	1865	2125	.....	.....	.....	2126	.....	.....	.....	.....	368
2591	1850	.....	1855	2598	1865	1870	.....	.....	.....	1877	.....	.....	.....	.....	369
2592	1851	.....	1457	2599	1461	X691	.....	.....	.....	X703	.....	.....	.....	.....	370
2592	1851	.....	1457	2599	1461	X659	.....	.....	.....	X700	.....	.....	.....	.....	371
2592	1851	.....	1457	2599	1461	X691	.....	.....	.....	X703	.....	.....	.....	.....	372
2593	1851	.....	1457	2599	1462	X659	.....	.....	.....	X700	.....	.....	.....	.....	373
2593	1851	.....	1457	2599	1462	X691	.....	.....	.....	X703	.....	.....	.....	.....	374
2593	1851	.....	1457	2599	1462	X691	.....	.....	.....	X703	.....	.....	.....	.....	375
2594-R. 2593-S.	1851	.....	1457	2599	1462	X691	.....	.....	.....	X703	.....	.....	.....	.....	376
2690	1853	.....	X650 2935	2055	1868	1873	.....	.....	.....	1880	.....	.....	.....	.....	377
X616	1739	.....	X50	X652	X672	X7	.....	.....	.....	X6	.....	.....	.....	.....	378
X615	1738	.....	X180	X652	X672	X182	.....	.....	.....	1876	1744	.....	.....	.....	379
2691	1854	.....	1857	1863	1869	1875	.....	.....	.....	1881	.....	.....	.....	.....	380
X621 *2898	1851	.....	1457	X660	1461	X659	.....	.....	.....	X700	.....	.....	.....	.....	381
X621 +2894	1851	.....	1457	X660	1461	X691	.....	.....	.....	X703	.....	.....	.....	.....	382
2985 *2803	1852	.....	1856	1717	1867	1871	.....	.....	.....	1878	.....	.....	.....	.....	383
2985 +2803	1852	.....	1856	1717	1867	1872	.....	.....	.....	1878	.....	.....	.....	.....	384
2896	1850	.....	1855	2598	1865	1870	.....	.....	.....	1877	.....	.....	.....	.....	385
X622 *2884	1851	.....	1457	X660	1461	X659	.....	.....	.....	X700	.....	.....	.....	.....	386
X622 \$2884	1851	.....	1457	X660	1461	X691	.....	.....	.....	X703	.....	.....	.....	.....	387
2967	1851	.....	1457	X660	1462	X691	.....	.....	.....	X703	.....	.....	.....	.....	388
2757	1850	.....	1855	2598	1864	1870	.....	.....	.....	1877	.....	.....	.....	.....	389
2684	1850	.....	1855	1858	1864	1870	.....	.....	.....	1877	.....	.....	.....	.....	390
2593	1851	.....	1457	2599	1462	X691	.....	.....	.....	X703	.....	.....	.....	.....	391
2758	2759	.....	2760	2761	2762	2796	.....	.....	.....	2763	.....	.....	.....	.....	392
2803	1852	.....	1856	1717	1867	1871	.....	.....	.....	1878	.....	.....	.....	.....	393
2803	1852	.....	1856	1717	1867	1872	.....	.....	.....	1878	.....	.....	.....	.....	394
2803	1852	.....	1856	1717	1867	1871	.....	.....	.....	1878	.....	.....	.....	.....	395
2803	1852	.....	1856	1717	1867	1872	.....	.....	.....	1878	.....	.....	.....	.....	396
2884	1851	.....	1457	X660	1461	X659	.....	.....	.....	X700	.....	.....	.....	.....	397
2884	1851	.....	1457	X660	1461	X691	.....	.....	.....	X703	.....	.....	.....	.....	398
2691	1854	.....	2912	2955	1869	1875	.....	.....	.....	1881	.....	.....	.....	.....	399
2591	1850	.....	1855	2598	1865	1870	.....	.....	.....	1877	.....	.....	.....	.....	400

|2803 began with Serial Number 15539001.  
 \*2803 began with Serial Number 15880001.  
 \*2884 began with Serial Number 15988001.  
 \$2884 began with Serial Number 16439901.  
 \*2898 began with Serial Number 16168201.  
 †2884 began with Serial Number 16206901.  
 †2803 began with Serial Number 15617501.  
 †2803 began with Serial Number 15642001.  
 \*2884 began with Serial Number 16502601.  
 \$2884 began with Serial Number 16531001.

\*Two different forms of Pallets have been used, the difference being the thickness of Jewel or Stone required; those taking thin ones being known as New Style. In filling orders, unless Old Style is mentioned, the New Style will be sent.

GRADE	RING FRICTION	REGULATOR	★ROLLERS					SCREWS							
			COMBINATION		SAFETY	TABLE		ARM VIBRATING	BALANCE	BANKING	BAR SETTING	BRIDGE			
			WITHOUT PIN	WITH PIN		WITHOUT PIN	WITH PIN					ARBOR SWEEP SECOND	BARREL	BEVEL PINION	CENTER
361		X729			1888	1884	2382		886	2302			1584		
362															
363		2647	*2869	*2872		X759	2432		1997	2833			1999		
364		2648	*2869	*2872		X759	2432		1997	2833			1999		
365		1468	‡2868	‡2870		X749	2068		1568	2302			1584		
366		1468	**2868	**2870		X749	2068		1568	2302			1584		
367		1889 >2644			1888	1884	2382		2042	2306			2036		
368		1889	2651	2696					888	2306			2036		
369		1889	2651	2696					888	2306			2036		
370		2645			1888	1884	2382		886	2302			1584		
371		2645			1888	1884	2382		886	2302			1584		
372		2645			1888	1884	2382		886	2302			1584		
373		2645			1888	1884	2382		886	2302			1584		
374		2645			1888	1884	2382		886	2302			1584		
375		2645			1888	1884	2382		886	2302			1584		
376		2645			1888	1884	2382		886	2302			1584		
377		4018	2652	2698					2728	2833			2012		
378		X720				X749	2068		888	2301				2298	
379		X720				X749	2068		888	2301			1747	1999	
380		2880	2653	2699					2729	2027			2030		
381		X729	*2651	*2696		X749	2068		1568	2302			1584		
382		X729	†2651	†2696		X749	2068		1568	2302			1584		
383		1890	‡2869	‡2872		X759	2432		1997	2837			1999		
384		1961	‡2869	‡2872		X759	2432		1997	2837			1999		
385		2644	2651	2695					886	2306			2036		
386		X729	°2868	°2870		X749	2068		1568	2302			1584		
387		X729	‡2868	‡2870		X749	2068		1568	2302			1584		
388		2645	2651	2695					886	2302			1584		
389		2644	2651	2695					886	2306			2036		
390		2644			1888	1884	2382		2042	2306			2036		
391		2645			1888	1884	2382		886	2302			1584		
392		2764	2869	2871					2284	2616			2614		
393		2647	2869	2872					1997	2833			1999		
394		2648	2869	2872					1997	2833			1999		
395		2647	2869	2872					1997	2833			1999		
396		2648	2869	2872					1997	2833			1999		
397		X729	2651	2696					1568	2302			1584		
398		X729	2651	2696					1568	2302			1584		
399		2880	2653	2699					2729	2027			2030		
400		1889	2651	2696					888	2306			2036		

† {2869, 2872} began with Serial Number 15539001.  
 ‡ {2869, 2872} began with Serial Number 15880001.  
 § {2868, 2870} began with Serial Number 15988001.  
 \*\* {2868, 2870} began with Serial Number 16439901.

> 2644 began with Serial Number 13890001.  
 \* {2651, 2696} began with Serial Number 16168201.  
 † {2651, 2696} began with Serial Number 16206901.  
 ‡ {2869, 2872} began with Serial Number 15617501.

† {2869, 2872} began with Serial Number 15642001.  
 ‡ {2868, 2870} began with Serial Number 16502601.  
 § {2868, 2870} began with Serial Number 16531001.

★ There is considerable variation in the diameter of jewel pins or roller jewels used in the same grade of movements. In filling orders assorted diameters will be supplied.

Numbers appearing in italics will be found in the Elgin Genuine Material System and may be ordered by bottle or compartment number.

SCREWS

PALLET	BRIDGE		CAM SETTING	CAM SETTING SPRING	CAP ARBOR	CAP BRIDGE	CAP RATCHET	CASE	CLAMP					GRADE	
	WINDING								BALANCE JEWEL		CASE	MINUTE WHEEL	PALLET JEWEL		RATCHET
	LONG	SHORT							UPPER	LOWER					
894								1591				926			361
															362
2000								1998				2023			363
2000								1998				2023			364
894				1599				1591				926			365
894				1599				1591				926			366
2037								2034							367
2037								2034							368
2037								2034							369
894								1591				926			370
894								1591				926			371
894								1591				926			372
894								1591				926			373
894								1591				926			374
894								1591				926			375
894								1591				926			376
2013				2014				1595				2018			377
								903							378
								903				926			379
2031				2625				2029				2047			380
894				1599				1591				926			381
894				1599				1591				926			382
2000								1998				2023			383
2000				2002				1998				2023			384
2037								2034							385
894				1599				1591				926			386
894				1599				1591				926			387
894								1591				926			388
2037								2034							389
2037								2034							390
894								1591				926			391
2000				2002				2630				2023			392
2000								1998				2023			393
2000								1998				2023			394
2000								1998				2023			395
2000								1998				2023			396
894				1599				1591				926			397
894				1599				1591				926			398
2031				2979				2029				2047			399
2037								2034							400

Numbers appearing in italics will be found in the Elgin Genuine Material System and may be ordered by bottle or compartment number.



GRADE	SCREWS														
	CLAMP		CLICK	CLUTCH SETTING	CUP ARBOR	COCK		DIAL	DIAL FOOT	HUB BARREL	INDEX	JEWEL			
	RATCHET WHEEL	SETTING WHEEL				BAL- ANCE	ESCAPE					BALANCE		BARREL LOWER	CENTER UPPER
			UPPER	LOWER											
361			2292			1584			2438		1603	913	913		1606
362															
363			2003			1999			2438			1604	2006		
364			2003			1999			2438			1604	2006		
365			1601			1584			2438			913	913		
366			1601			1584			2438			913	913		
367	2621	2038	2292			2036			2039	2429	910	2023	913		2023
368		2038	2292			2036			2039		910	913	913		913
369		2038	2292			2036			2039		910	913	913		913
370	2621		2292			1584			2438	2730	1603	2023	2023		2023
371	2621		2292			1584			2438	2730	1603	2023	2023	2023	2023
372	2621		2292			1584			2438	2730	1603	2023	2023	2023	2023
373	2621		2292			1584			2438	2730	1603	2023	2023		2023
374	2621		2292			1584			2438	2730	1603	2023	2023		2023
375	2621		2292			1584			2438	2730	1603	2023	2023		2023
376	2621		2292			1584			2438	2730	1603	2293	2023	2023	2023
377		2018	2016			2013			2822		2011	2020	2020		
378						1749			911		912	913	913		913
379						1749			911		912	913	913		913
380		2047	2045			2030			2441			2048	2048		
381			2292			1584			2438		1603	913	913		1606
382			2292			1584			2438		1603	913	913		1606
383			2003			1999			2438		2024	1604	2006		2005
384			2003			1999			2438		2024	1604	2006		2005
385		2038	2292			2036			2039		910	913	913		913
386			1601			1584			2438		1603	2023	2023		1606
387			1601			1584			2438		1603	2023	2023		1606
388			2292			1584			2438		1603	2023	2023		2023
389		2038	2292			2036			2039		910	913	913		913
390	2621	2038	2292			2036			2039	2429	910	2023	913		2023
391	2621		2292			1584			2438	2730	1603	2023	2023		2023
392			2003			2614			2438		2024	2824	1607		2006
393			2003			1999			2438			1604	2006		
394			2003			1999			2438			1604	2006		
395			2003			1999			2438			1604	2006		
396			2003			1999			2438			1604	2006		
397			2292			1584			2438		1603	913	913		1606
398			2292			1584			2438		1603	913	913		1606
399		2047	2045			2030			2441			2048	2048		
400		2038	2292			2036			2039		910	913	913		913

Numbers appearing in italics will be found in the Elgin Genuine Material System and may be ordered by bottle or compartment number.

SCREWS														GRADE		
JEWEL										LEVER						
CENTER		ESCAPE		FOURTH		PALLET				THIRD		CAM	CLUTCH		SETTING	REGULA-TOR ADJUSTING
LOWER	UPPER	LOWER	UPPER	LOWER	UPPER	LOWER	CLAMP		UPPER	LOWER						
							UPPER	LOWER								
<i>913</i>	2294		<i>1604</i>							<i>1604</i>			1722	898		361
																362
	<i>1604</i>		<i>1604</i>							<i>1604</i>			1722	1722		363
	<i>1604</i>		<i>1604</i>							<i>1604</i>			1722	1722		364
	<i>913</i>		<i>913</i>							<i>913</i>			1996	<i>1601</i>		365
	<i>913</i>		<i>913</i>							<i>913</i>			1996	<i>1601</i>		366
<i>2023</i>	<i>913</i>	<i>913</i>	<i>913</i>	<i>1606</i>			<i>913</i>	<i>1994</i>		<i>2023</i>	<i>1606</i>		1996	898		367
<i>2023</i>	<i>913</i>		<i>913</i>							<i>913</i>			1996	898		368
<i>2023</i>	<i>913</i>		<i>913</i>							<i>913</i>			1996	898		369
<i>1606</i>	<i>2023</i>		<i>2023</i>							<i>2023</i>			1722	898		370
<i>1606</i>	<i>2023</i>		<i>2023</i>							<i>2023</i>			1722	898		371
<i>1606</i>	<i>2023</i>		<i>2023</i>							<i>2023</i>			1722	898		372
<i>1606</i>	<i>2023</i>	<i>1606</i>	<i>2023</i>				<i>1606</i>	<i>1994</i>		<i>2023</i>			1722	898		373
<i>1606</i>	<i>2023</i>	<i>1606</i>	<i>2023</i>				<i>1606</i>	<i>1994</i>		<i>2023</i>			1722	898		374
<i>1606</i>	<i>2023</i>	<i>1606</i>	<i>2023</i>				<i>1606</i>	<i>1994</i>		<i>2023</i>			1722	898		375
<i>1606</i>	<i>2023</i>	<i>1606</i>	<i>2023</i>	<i>1606</i>			<i>1606</i>	<i>1994</i>		<i>2023</i>	<i>2959</i>		1722	898		376
	<i>2020</i>		<i>2020</i>							<i>2020</i>			2439	2015		377
	<i>913</i>		<i>913</i>				<i>913</i>			<i>913</i>				916		378
	<i>913</i>		<i>913</i>				<i>913</i>			<i>913</i>				1748		379
	<i>2286</i>		<i>2286</i>							<i>2286</i>			2044	2044		380
<i>913</i>	<i>1604</i>		<i>1604</i>							<i>1607</i>			1996	<i>1601</i>		381
<i>913</i>	<i>1604</i>		<i>1604</i>							<i>1607</i>			1996	<i>1601</i>		382
<i>2005</i>	<i>1604</i>		<i>1604</i>							<i>1604</i>			1722	1722		383
<i>2005</i>	<i>1604</i>		<i>1604</i>							<i>1604</i>			1722	1722		384
<i>2023</i>	<i>913</i>		<i>913</i>							<i>913</i>			1996	898		385
<i>2023</i>	<i>2023</i>		<i>2023</i>							<i>2023</i>			1996	<i>1601</i>		386
<i>2023</i>	<i>2023</i>		<i>2023</i>							<i>2023</i>			1996	<i>1601</i>		387
<i>1606</i>	<i>2023</i>	<i>1606</i>	<i>2023</i>				<i>1606</i>	<i>1994</i>		<i>2023</i>			1722	898		388
<i>2023</i>	<i>913</i>	<i>913</i>	<i>913</i>				<i>913</i>	<i>1994</i>		<i>913</i>			1996	898		389
<i>2023</i>	<i>913</i>	<i>913</i>	<i>913</i>				<i>913</i>	<i>1994</i>		<i>2023</i>			1996	898		390
<i>1606</i>	<i>2023</i>	<i>1606</i>	<i>2023</i>				<i>1606</i>	<i>1994</i>		<i>2023</i>			1722	898		391
<i>2005</i>	<i>1604</i>		<i>1604</i>							<i>1604</i>			1722	1722		392
													1722	1722		393
													1722	1722		394
	<i>1604</i>		<i>1604</i>							<i>1604</i>			1722	1722		395
	<i>1604</i>		<i>1604</i>							<i>1604</i>			1722	1722		396
<i>913</i>	<i>913</i>		<i>913</i>							<i>1607</i>			1996	<i>1601</i>		397
<i>913</i>	<i>913</i>		<i>913</i>							<i>1607</i>			1996	<i>1601</i>		398
	<i>2286</i>		<i>2286</i>							<i>2286</i>			2044	2044		399
<i>2023</i>	<i>913</i>		<i>913</i>							<i>913</i>			1996	898		400

Numbers appearing in italics will be found in the Elgin Genuine Material System and may be ordered by bottle or compartment number.

GRADE	SCREWS														
	MAIN	MAIN WHEEL SEAT	MEAN TIME	PILLAR	PINION BEVEL SETTING	PLATE TOP	POTANCE	REGULATOR ADJUSTING	RING EXTENSION	SNIPPER SETTING	SPRING				
											VIBRATING ARM	CAM	CLICK	DRAG	CLUTCH LEVER
361	<i>2291</i>					<i>1584</i>								1615	2004
362															
363	<i>2007</i>					<i>1999</i>								2004	
364	<i>2007</i>					<i>1999</i>								2004	
365	1610					<i>1584</i>								2018	
366	1610					<i>1584</i>								2018	
367	2041					2035								1615	1615
368	2041					2035								1615	1615
369	2041					2035								1615	1615
370	<i>2291</i>					<i>1584</i>								1615	2004
371	<i>2291</i>					<i>1584</i>								1615	2004
372	<i>2291</i>					<i>1584</i>								1615	2004
373	<i>2291</i>					<i>1584</i>								1615	2004
374	<i>2291</i>					<i>1584</i>								1615	2004
375	<i>2291</i>					<i>1584</i>								1615	2004
376	<i>2291</i>					<i>1584</i>								1615	2004
377	<i>2010</i>					<i>2012</i>								2021	
378	<i>X63</i>			921								925		910	
379	<i>X63</i>			921 *1612										910	
380	<i>2032</i>					<i>2030</i>								2046	
381	<i>2291</i>					<i>1584</i>								1615	
382	<i>2291</i>					<i>1584</i>								1615	
383	<i>2007</i>					<i>1999</i>								2004	
384	<i>2007</i>					<i>1999</i>								2004	
385	2041					2035								1615	1615
386	1610					<i>1584</i>								2018	
387	1610					<i>1584</i>								2018	
388	<i>2291</i>					<i>1584</i>								1615	2004
389	2041					2035								1615	1615
390	2041					2035								1615	1615
391	<i>2291</i>					<i>1584</i>								1615	2004
392	2618					2614								2004	
393	2007					<i>1999</i>			2620					2004	
394	2007					<i>1999</i>			2620					2004	
395	2007					<i>1999</i>			2620					2004	
396	2007					<i>1999</i>			2620					2004	
397	<i>2291</i>					<i>1584</i>								1615	
398	<i>2291</i>					<i>1584</i>								1615	
399	<i>2032</i>					<i>2030</i>								2046	
400	2041					2035								1615	1615

\*1612 used under cock.

Numbers appearing in italics will be found in the Elgin Genuine Material System and may be ordered by bottle or compartment number.

SCREWS											SEAT MAIN WHEEL	SHIPPER SETTING	SLEEVES		GRADE
SPRING			STOP		STUD HAIR SPRING	WHEEL				ARBOB WIND- ING			SUB- CENTER		
REGU- LATOR	SETTING	SETTING LEVER	SETTING CAM	LEVER		INTER- WIND- ING	INTER- SET- TING	MINUTE	RATCHET					SETTING	
		1603			<i>934</i>				2026					361	
														362	
	2001		2607		<i>1620</i>				<i>2613</i>			1913		363	
	2001		2607		<i>1620</i>				<i>2613</i>			1913		364	
	1618				<i>934</i>				<i>1601</i>			1912		365	
	1618				<i>934</i>				<i>1601</i>			1912		366	
		1603			<i>934</i>									367	
		1603			<i>934</i>				<i>2624</i>					368	
		1603			<i>934</i>				<i>2624</i>					369	
		1603			<i>934</i>									370	
		1603			<i>934</i>									371	
		1603			<i>934</i>									372	
		1603			<i>934</i>									373	
		1603			<i>934</i>									374	
		1603			<i>934</i>									375	
		1603			<i>934</i>									376	
	2014				<i>1621</i>				<i>2613</i>			1914		377	
		910			<i>934</i>									378	
	928				<i>934</i>									379	
	2047				<i>2442</i>				<i>2033</i>			2657		380	
	1618				<i>934</i>				<i>2292</i>			1912		381	
	1618				<i>934</i>				<i>2292</i>			1912		382	
	2001		2607		<i>1620</i>				<i>2613</i>			1913		383	
	2001		2607		<i>1620</i>				<i>2613</i>			1913		384	
		1603			<i>934</i>				<i>2624</i>					385	
	1618				<i>934</i>				<i>1601</i>			1912		386	
	1618				<i>934</i>				<i>1601</i>			1912		387	
		1603			<i>934</i>				<i>2026</i>					388	
		1603			<i>934</i>				<i>2624</i>					389	
		1603			<i>934</i>									390	
		1603			<i>934</i>									391	
	2001				<i>2832</i>				<i>2619</i>			2770		392	
	2001		2607		<i>1620</i>				<i>2613</i>			1913		393	
	2001		2607		<i>1620</i>				<i>2613</i>			1913		394	
	2001		2607		<i>1620</i>				<i>2613</i>			1913		395	
	2001		2607		<i>1620</i>				<i>2613</i>			1913		396	
	1618				<i>934</i>				<i>2292</i>			1912		397	
	1618				<i>934</i>				<i>2292</i>			1912		398	
	2047				<i>2442</i>				<i>2033</i>			2657		399	
		1603			<i>934</i>				<i>2624</i>					400	

Numbers appearing in italics will be found in the Elgin Genuine Material System and may be ordered by bottle or compartment number.

GRADE	SPRINGS										STAFF			STOP	
	ARM VIBBRATING	CAM	CLICK	HAIR		LEVER		MAIN		REGULATOR	SETTING	★BALANCE	CENTER	SUB CENTER	WINDING ARBOR SLEEVE
				NUMBER	STR'GTH	CLUTCH	SETTING	NUMBER	STR'GTH						
361			1896	X796	2	2152	2153	X817	.00775			2532-C.	1482		
362															
363			1897	1959	2			1720 2339	.0075 .00775		1909	1905 ‡2802	1716		
364			1897	1959	2			1720 2339	.0075 .00775		1909	1905 ‡2802	1716		
365			1896	X796	3			X817	.008		1478	861	1482		
366			1896	X796	3			X817	.008		1478	861	1482		
367			1896	1958	1	1894	1900	1966	.007	2658		1901-C.			
368			1896	2693	2	1894	1900	X812	.00875			2659	2662		
369			1896	2693	2	1894	1900	X812	.00875			2659	2662		
370			1896	X796	2	2152	2153	2542	.0075	2658		2532-C.	1482		
371			1896	X796	2	2547	2546	2542	.0075	2658		2532-C.	1482		
372			1896	X796	2	2152	2153	2542	.0075	2658		2532-C.	1482		
373			1896	X796	2	2547	2546	2542	.00725	2658		2532-C.	1482		
374			1896	X796	2	2152	2153	2542	.00725	2658		2532-C.	1482		
375			1896	X796	2	2152	2153	2542	.00725	2658		2532-C.	1482		
376			1896	X796	2	2152	2153	2542	.00725	2658		2532-C.	1482		
377			1898	X807	3			2097	.00575		1910	869	2056 2946		
378	X61		2555	X791	2		X53	X812	.00875			867	2357		
379			2555	X791	2			X812	.00875		X129	867	2357		
380			1899	2694	2			2705	.00525		1911	2661			
381			1896	X796	3			X817	.00775		1478	861	1482		
382			1896	X796	3			X817	.00775		1478	861	1482		
383			1897	1959	2			1720 2339	.0075 .0075		1909	1905 *2802	1716		
384			1897	1959	2			1720 2339	.0075 .0075		1909 1908	1905 ‡2802	1716		
385			1896	2693	1	1894	1900	X812	.00875	2658		2659-C.	2662		
386			1896	X796	3			X817	.00775		1478	861	1482		
387			1896	X796	3			X817	.00775		1478	861	1482		
388			1896	X796	2	2152	2153	X817	.0075	2658		861-C.	1482		
389			1896	2693	1	1894	1900	X812	.0085	2658		2659-C.	2662		
390			1896	1958	1	1894	1900	1966	.007	2658		1901-C.			
391			1896	X796	2	2152	2153	2542	.00725	2658		2532-C.	1482		
392			1897	2801	1			2874	.0075		2772	2773-C.	2774		
393			1897	1959	2			2339	.00775		1909	2802	1716		
394			1897	1959	2			2339	.00775		1909	2802	1716		
395			1897	1959	2			2339	.00775		1909	2802	1716		
396			1897	1959	2			2339	.00775		1909	2802	1716		
397			1896	X796	3			X817	.00775		1478	861-C.	1482		
398			1896	X796	3			X817	.00775		1478	861-C.	1482		
399			1899	2694	2			2890	.0045		1911	2661	2809		
400			1896	2693	2	1894	1900	X812	.00875			2659	2662		

\*2802 began with Serial Number 15396001.  
 †2802 began with Serial Number 15157401.  
 ‡2802 began with Serial Number 15228001.  
 §2802 began with Serial Number 14630501.  
 ★See notes on Balance Staffs in Special Information Section.

Numbers appearing in italics will be found in the Elgin Genuine Material System and may be ordered by bottle or compartment number.

STOP WORKS		STUDS			WASHERS							WHEELS			GRADE
MALE	FEMALE	HAIR SPRING	MAIN WHEEL	MEAN TIME	ARBOR	CENTER PINION	MAIN SCREW	MAIN SCREW FINISH	STAFF CENTER	WHEEL RATCHET	WHEEL RATCHET FINISH	CENTER	CENTER COMPLETE	★ ESCAPE	
		1480					1484	C.	1554	1486	C.	2336	2158	2168	361
															362
		1917					1920	A-9	1555			1927	2112	1490	363
		1917					1920	A-9	1555			1927	2112	1490	364
		1480					1484	A-9	1554			1567	2158	2168	365
		1480					1484	A-9	1554			1567	2158	2168	366
		1916		2790		1923	1919	C.				1926	1972	2168	367
		2664					1919	A-9	2665			2706	2712	2168	368
		2664					1919	A-9	2665			2706	2712	2168	369
		1480		2791			1484	C.	1554			1487	2811	2168	370
		1480		2791			1484	C.	1554			1487	2811	2168	371
		1480		2791			1484	C.	1554			1487	2811	2168	372
		1480		2791			1484	C.	1554			1487	2811	2168	373
		1480		2791			1484	C.	1554			1487	2811	2168	374
		1480		2791			1484	B-5	1554			1487	2811	2168	375
		1480		2791			1484	B-5	1554			1487	2811	2168	376
		853					1921	A-9	1556			1918	2082 2960	993	377
		X843					X66		1553			2296	2157	981	378
		X843					X134		1553			2296	2157	981	379
		1903					1922	C.				1929	2130	1955	380
		1480					1484	C.	1554			2336	2158	2168	381
		1480					1484	C.	1554			2336	2158	2168	382
		1917					1920	C.	1555			1927	2112	1490	383
		1917					1920	C.	1555			1927	2112	1490	384
		2664		2791			1919	C.	2665	2777	C.	2706-G.	2712-G.	2168	385
		1480					1484	C.	1554			2336	2158	2168	386
		1480					1484	C.	1554			2336	2158	2168	387
		1480		2791			1484	C.	1554	1486	C.	1487	2364	2168	388
		2664		2791			1919	C.	2665	2777	C.	2706-G.	2712-G.	2168	389
		1916		2790		1923	1919	C.				1926	1972	2168	390
		1480		2791			1484	C.	1554			1487	2811	2168	391
		2775					2776	B-5	1555	2778	B.	1927-G.	2780	2781	392
		1917					1920	G.	1555			1927	2112	1490	393
		1917					1920	G.	1555			1927	2112	1490	394
		1917					1920	A-9	1555			1927	2112	1490	395
		1917					1920	A-9	1555			1927	2112	1490	396
		1480					1484	A-9	1554			2336	2158	2168	397
		1480					1484	A-9	1554			2336	2158	2168	398
		1903					1922	A-9	2808			2810	2816	1955	399
		2664					1919	A-9	2665			2706	2712	2168	400

★Two diameters of escape wheels have been made in 18, 16 and 6 sizes. The larger being known as New Style (N.S.) which will be supplied unless Old Style (O.S.) is ordered.

Numbers appearing in italics will be found in the Elgin Genuine Material System and may be ordered by bottle or compartment number.

GRADE	WHEELS														
	★ ESCAPE AND PINION	FIRST	FIRST COM- PLETE	FOURTH	FOURTH AND PINION	HOUR	INTERMEDIATE		MAIN		MINUTE	RATCHET		RING	SETTING
							SETTING	WIND- ING	NUMBER	FINISH		NUMBER	FINISH		
361	1493-S			1019	1030	1496			<i>1498</i>	A-4	1499	<i>1501</i>	A-18		
362															
363	1978			1930	1984	1936			<i>1942</i>	A-14	1946	<i>1718</i>	A-15		
364	1978			1930	1985	1936			<i>1942</i>	A-14	1946	<i>1718</i>	A-15		
365	1493			1019	X657	1496			<i>1498</i>	A-14	1499	<i>1501</i>	A-15		
366	1493			1019	1030	1496			<i>1498</i>	A-14	1499	<i>1501</i>	A-15		
367	1976	1932		2081	1983	1935			1941	A-19	1945	1950	A-19		1939
368	1977			2081	2127	1935			1941	A-4	1945	2721	A-3		1939
369	1977			2081	1983	1935			1941	A-4	1945	2721	A-3		1939
370	1493-S	2715		1019	1030	1496			<i>1498</i>	A-4	1499	2725	A-18		
371	1493-S	2715		1019	X657	1496			<i>1498</i>	A-4	1499	2725	A-18		
372	1493-S	2715		1019	1030	1496			<i>1498</i>	A-4	1499	2725	A-18		
373	1494	2715		1019	X657	1496			<i>1498</i>	A-19	1499	2725	A-19		
374	1494	2715		1019	1030	1496			<i>1498</i>	A-19	1499	2725	A-19		
375	1494	2715		1019	1030	1496			<i>1498</i>	A-5	1499	2725	A-1		
376	1494	2715		1019	1030	1496			<i>1498</i>	A-5	1499	2725	A		
377	1979			1021	1986	1045 2961			<i>1943</i>	A-14	1063	2058	A-15		1940
378	994			1008	1022	X59	X58	X38	<i>X65</i>		1062	<i>X39</i>			X57
379	994			1008	1024	X186		X177	<i>X175</i>		X187	<i>X39</i>			4155
380	2069			1931	2118	1938	2720		<i>2724</i>	C-2	1947	2727	C-4		1954
381	1493			1019	X657	1496			<i>1498</i>	C-6	1499	<i>1501</i>	C-5		
382	1493			1019	1030	1496			<i>1498</i>	C-6	1499	<i>1501</i>	C-5		
383	1978			1930	1984	1936			<i>1942</i>	C-6	1946	<i>1718</i>	C-5		
384	1978			1930	1985	1936			<i>1942</i>	C-6	1946	<i>1718</i>	C-5		
385	2782			2081	1983	1935			1941	A-4	1945	2721	A-18		1939
386	1493			1019	X657	1496			<i>1498</i>	C-2	1499	<i>1501</i>	C-4		
387	1493			1019	1030	1496			<i>1498</i>	C-2	1499	<i>1501</i>	C-4		
388	4439			1019	1030	1496			<i>1498</i>	A-4	1499	<i>1501</i>	A-18		
389	2783			2081	1983	1935			1941	A-4	1945	2721	A-18		1939
390	1976	1932		2081	1983	1935			1941	A-19	1945	1950	A-19		1939
391	1494	2715		1019	1030	1496			<i>1498</i>	A-19	1499	2725	A-19		
392	2798			2785	2786	2787			2799	B-7	2800	2804	B-6		2805
393	1978			1930	1984	2819			<i>1942</i>	A-22	1946	<i>1718</i>	A-21		
394	1978			1930	1985	2819			<i>1942</i>	A-22	1946	<i>1718</i>	A-21		
395	1978			1930	1984	2819			<i>1942</i>	A-14	1946	<i>1718</i>	A-15		
396	1978			1930	1985	2819			<i>1942</i>	A-14	1946	<i>1718</i>	A-15		
397	1493			1019	X657	1496			<i>1498</i>	A-4	1499	<i>1501</i>	A-3		
398	1493			1019	1030	1496			<i>1498</i>	A-4	1499	<i>1501</i>	A-3		
399	2069			1931	2118	2820	2720		<i>2724</i>	A-14	1947	4350	A-15		1954
400	1977			2081	1983	1935			1941	A-4	1945	2721	A-3		1939

★Two diameters of escape wheels have been made in 18, 16 and 6 sizes. The larger being known as New Style (N.S.) which will be supplied unless Old Style (O.S.) is ordered.

Numbers appearing in italics will be found in the Elgin Genuine Material System and may be ordered by bottle or compartment number.

