

Jewel

| Calibres de base | Grandeur | Calibres dérivés | | | ∅ trou | Bloc dessus | Bloc dessous | Creusure plat. cad. | | Clavette | Vis | Chaton empierré | Pierre de dessus | c. pivot dessous | Ressort de dessus | c. pivot dessous |
|------------------|----------|--------------------------|--------------|----------------|--------|-------------|--------------|---------------------|----|----------|--------|------------------|------------------|------------------|-------------------|------------------|
| ° 410 | 10½ 11½* | 412 | 1000* | 1002* | 10 | 100.11.310 | 100.20 | — | — | 180.19 | 150.11 | 111.10 | 121.11 | 122.11 | 170.03 | 170.03 |
| ° 672 | 5½ | 680 | | | 08 | 261.11.230 | 264.20 | 10 | 2 | 180.19 | — | 211.08 | 221.11 | 222.11 | 270.03 | 270.03 |
| ° 690 | 6½ | 692 | | | 08 | 275.22.210 | 715.20 | — | — | — | — | 211.08 711.08 | 222.11 | 722.11 | 270.03 | 770.03 |
| ° 740 | 7% | | | | 09 | 100.11.255 | 113.20 | — | — | 180.19 | — | 111.09 | 121.11 | 122.11 | 170.03 | 173.03 |
| ° 792 | 6¾×8 | | | | 08 | 201.21.250 | 215.20 | 10 | — | 280.17 | — | 211.08 | 222.11 | 222.11 | 270.03 | 270.03 |
| ° 820 | 8% | 821 | | | 09 | 100.11.255 | 100.20 | — | — | 180.19 | 160.11 | 111.09 | 121.11 | 122.11 | 170.03 | 170.03 |
| ° 822 | 8% | | | | 09 | 100.21.275 | 100.20 | 10 | 14 | 180.15 | 160.11 | 111.09 | 122.11 | 122.11 | 170.03 | 170.03 |
| ° 830 | 8% | 832 | 837 | 839 | 09 | 100.21.270 | 100.20 | — | — | 180.15 | 150.11 | 111.09 | 122.11 | 122.11 | 170.03 | 170.03 |
| ° 840 | 8% | 847 | | | 09 | 100.21.270 | 100.20 | — | — | 180.15 | 150.11 | 111.09 | 122.11 | 122.11 | 170.03 | 170.03 |
| ° 850 | 8% | 861 | | | 09 | 103.21.262 | 100.20 | — | — | 180.15 | 160.11 | 111.09 | 122.11 | 122.11 | 170.03 | 170.03 |
| ° 980 | 10½ 11½* | 1009* | 1010* | 1011* | 09 | 100.11.310 | 100.10 | — | — | 180.19 | 150.11 | 111.09 | 121.11 | 121.11 | 170.03 | 170.03 |
| ° 982 | 10½ 11½* | 1012* | | | 09 | 100.11.310 | 100.20 | 10 | — | 180.19 | 150.11 | 111.09 | 121.11 | 122.11 | 170.03 | 170.03 |
| ° 1034 | 11½ | 1035 | | | 10 | 100.11.310 | 100.20 | — | — | 180.19 | 160.11 | 111.10 | 121.11 | 122.11 | 170.03 | 170.03 |
| ° 1120 | 11% | 1124 | | | 10 | 100.11.310 | 100.20 | — | — | 180.19 | 150.11 | 111.10 | 121.11 | 122.11 | 170.03 | 170.03 |
| ° 1121 | 11% | 1125 | 1126 | | 10 | 100.11.310 | 103.20 | — | — | 180.19 | — | 111.10 | 121.11 | 122.11 | 170.03 | 173.03 |
| ° 1140 | 11% | 1141 1145 B 1147 B | 1143 1146 | 1145 1146 B | 10 | 100.11.310 | 103.20 | — | — | 180.19 | — | 111.10 | 121.11 | 122.11 | 170.03 | 173.03 |
| ° 1292 | 13½ | 1293 | 1290 | | 11 | 100.11.325 | 100.20 | 10 | — | 180.19 | 150.11 | 111.11 | 121.11 | 122.11 | 170.03 | 170.03 |
| ° 1696 | 10½ | | | | 10 | 201.21.306 | 219.20 | 10 | 9 | 280.17 | 160.21 | 211.10 | 222.11 | 222.11 | 270.03 | 270.03 |
| 110 | 11½ | 111 | | | 10 | 160.12.310 | 926.20 | — | — | — | — | 111.10 911.10 | 121.11 | 922.11 | 170.03 | 975.03 |
| 112 | 11½ | | | | 09 | 944.22.312 | 946.20 | 10 | — | — | — | 911.09 | 922.11 | 922.11 | 974.03 | 975.03 |
| 160 | 11% | 161 165 | 163 166 | 164 167 | 09 | 100.11.310 | 103.20 | — | — | 180.17 | — | 111.09 | 121.11 | 122.11 | 170.03 | 173.03 |
| 171 | 11½ | 177 | 257 | | 10 | 103.21.312 | 100.20 | — | — | 180.15 | 160.11 | 111.10 | 122.11 | 122.11 | 170.03 | 170.03 |
| 197 | 11½ | 297 | | | 10 | 163.22.312 | 163.20 | — | — | — | — | 111.10 | 122.11 | 122.11 | 170.03 | 173.03 |
| 475 | 11½ | | | | 10 | 100.11.310 | 100.20 | — | — | 180.19 | 160.11 | 111.10 | 121.11 | 122.11 | 170.03 | 170.03 |
| 476 | 11½ | 477 | | | 10 | 163.22.262 | 103.20 | — | — | — | — | 111.10 | 122.11 | 122.11 | 170.03 | 173.03 |
| 678 | 5½ | | | | 08 | 261.11.230 | 264.20 | 10 | 2 | 180.19 | — | 211.08 | 221.11 | 222.11 | 270.03 | 270.03 |
| 690 B | 6½ | 692 B | | | 08 | 275.22.210 | 365.20 | — | — | — | — | 211.08 311.08 | 222.11 | 222.11 | 270.03 | 876.03 |
| 761 | 7% | 764 | 765 | 769 | 09 | 104.21.232 | 113.20 | — | — | 180.15 | — | 111.09 | 122.11 | 122.11 | 173.03 | 173.03 |
| 775 | 7% | 777 | | | 09 | 104.22.232 | 113.20 | — | — | — | — | 111.09 | 122.11 | 122.11 | 173.03 | 173.03 |
| 871 | 8% | 875 | | | 08 | 100.21.275 | 113.20 | — | — | 180.15 | — | 111.08 | 122.11 | 122.11 | 170.03 | 173.03 |
| 1020 | 11½ | | | | 10 | 100.11.310 | 100.20 | — | — | 180.19 | 160.11 | 111.10 | 121.11 | 122.11 | 170.03 | 170.03 |
| 1130 | 11½ | | | | 11 | 100.12.317 | 103.20 | — | — | — | — | 111.11 | 121.11 | 122.11 | 170.03 | 173.03 |



| Calibres de base | Grandeur | Calibres dérivés | ∅ trou | Bloc dessus | Bloc dessous | Creusure plat. cad. | Clavette | Vis | Chaton empierré | Pierre de dessus | c. pivot dessous | Ressort de c. pivot dessus | Ressort de c. pivot dessous |
|------------------|-----------|---|--------|-------------|--------------|---------------------|----------|--------|------------------|------------------|------------------|----------------------------|-----------------------------|
| ENICAR | Enicar SA | CH-2543 Longeau | | | | | | | | | | | |
| ° 850 | 8% | 861 | 09 | 103.21.262 | 100.20 | — — | 180.15 | 160.11 | 111.09 | 122.11 | 122.11 | 170.03 | 170.03 |
| ° 871 | 8% | 875 | 08 | 100.21.275 | 113.20 | — — | 180.15 | — | 111.08 | 122.11 | 122.11 | 170.03 | 173.03 |
| ° 980 | 10½ 11½ * | 1009* 1010* 1011* | 09 | 100.11.310 | 100.10 | — — | 180.19 | 150.21 | 111.09 | 121.11 | 121.11 | 170.03 | 170.03 |
| ° 982 | 10½ 11½ * | 1012* | 09 | 100.11.310 | 100.20 | 10 — | 180.19 | 150.11 | 111.09 | 121.11 | 122.11 | 170.03 | 170.03 |
| °1020 | 11½ | | 10 | 100.11.310 | 100.20 | — — | 180.19 | 160.11 | 111.10 | 121.11 | 122.11 | 170.03 | 170.03 |
| °1034 | 11½ | 1035 | 10 | 100.11.310 | 100.20 | — — | 180.19 | 160.11 | 111.10 | 121.11 | 122.11 | 170.03 | 170.03 |
| °1120 | 11% | 1124 | 10 | 100.11.310 | 100.20 | — — | 180.19 | 150.11 | 111.10 | 121.11 | 122.11 | 170.03 | 170.03 |
| °1121 | 11% | 1125 1126 | 10 | 100.11.310 | 103.20 | — — | 180.19 | — | 111.10 | 121.11 | 122.11 | 170.03 | 173.03 |
| °1130 | 11½ | | 11 | 100.12.317 | 103.20 | — — | — | — | 111.11 | 121.11 | 122.11 | 170.03 | 173.03 |
| °1140 | 11% | 1141 1143 1145 1145B 1146 1146B 1147B | 10 | 100.11.310 | 103.20 | — — | 180.19 | — | 111.10 | 121.11 | 122.11 | 170.03 | 173.03 |
| °1292 | 13% | 1290 1293 | 11 | 100.11.325 | 100.20 | 10 — | 180.19 | 150.11 | 111.11 | 121.11 | 122.11 | 170.03 | 170.03 |
| 112 | 11½ | 114 | 09 | 944.22.312 | 946.20 | 10 — — | — | — | 911.09 | 922.11 | 922.11 | 974.03 | 975.03 |
| 160 | 11% | 161 163 164 165 165C 165D 166 167 167C 167D 168D 169D | 09 | 100.12.310 | 103.20 | — — | — | — | 111.09 | 121.11 | 122.11 | 170.03 | 173.03 |
| 476 | 11½ | 477 | 10 | 163.22.262 | 103.20 | — — | — | — | 111.10 | 122.11 | 122.11 | 170.03 | 173.03 |
| 679 | 5½ | | 08 | 275.22.210 | 365.20 | — — | — | — | 211.08 311.08 | 222.11 | 222.11 | 270.03 | 876.03 |
| 690 B | 6½ | 692B | 08 | 275.22.210 | 365.20 | — — | — | — | 211.08 311.08 | 222.11 | 222.11 | 270.03 | 876.03 |
| 775 | 7% | 771 776 777 | 08 | 104.22.232 | 113.20 | — — | — | — | 111.08 | 122.11 | 122.11 | 173.03 | 173.03 |
| 800 | 8% | 801 | 08 | 933.22.233 | 906.20 | — — | — | — | 911.08 | 922.11 | 922.11 | 974.03 | 975.03 |
| 800 B | 8% | 801B 804B 805B 810B 811B 814B 815B | 08 | 933.22.233 | 906.20 | — — | — | — | 911.08 | 922.11 | 922.11 | 974.03 | 975.03 |
| 820 | 11 | 821 824 825 | 08 | 933.22.233 | 906.20 | — — | — | — | 911.08 | 922.11 | 922.11 | 974.03 | 975.03 |
| 880 | 8% | 881 885 887 | 08 | 944.22.262 | 956.20 | — — | — | — | 911.08 | 922.11 | 922.11 | 974.03 | 975.03 |

| Calibres de base | Grandeur | Calibres dérivés | ∅ trou | Bloc dessus | Bloc dessous | Creusure plat. cad. | Clavette | Vis | Chaton empierré | Pierre de dessus | c. pivot dessous | Ressort de c. pivot dessus | Ressort de c. pivot dessous |
|------------------|-----------|------------------|--------|-------------|--------------|---------------------|----------|--------|------------------|------------------|------------------|----------------------------|-----------------------------|
| ENICAR | Enicar SA | CH-2543 Longeau | | | | | | | | | | | |
| ° 110 | 11½ | 111 | 10 | 160.12.310 | 926.20 | — — | — | — | 111.10 911.10 | 121.11 | 922.11 | 170.03 | 975.03 |
| ° 171 | 11½ | 177 257 | 10 | 103.21.312 | 100.20 | — — | 180.15 | 160.11 | 111.10 | 122.11 | 122.11 | 170.03 | 170.03 |
| ° 197 | 11½ | 297 | 10 | 163.22.312 | 163.20 | — — | — | — | 111.10 | 122.11 | 122.11 | 170.03 | 173.03 |
| ° 410 | 10½ 11½ * | 412 1000* 1002* | 10 | 100.11.310 | 100.20 | — — | 180.19 | 150.11 | 111.10 | 121.11 | 122.11 | 170.03 | 170.03 |
| ° 475 | 11½ | | 10 | 100.11.310 | 100.20 | — — | 180.19 | 160.11 | 111.10 | 121.11 | 122.11 | 170.03 | 170.03 |
| ° 672 | 5½ | 680 | 08 | 261.11.230 | 264.20 | 10 2 | 180.19 | — | 211.08 | 221.11 | 222.11 | 270.03 | 270.03 |
| ° 678 | 5½ | | 08 | 261.11.230 | 264.20 | 10 2 | 180.19 | — | 211.08 | 221.11 | 222.11 | 270.03 | 270.03 |
| ° 690 | 6½ | 692 | 08 | 275.22.210 | 715.20 | — — | — | — | 211.08 711.08 | 222.11 | 722.11 | 270.03 | 770.03 |
| ° 761 | 7% | 764 765 769 | 09 | 104.21.232 | 113.20 | — — | 180.15 | — | 111.09 | 122.11 | 122.11 | 173.03 | 173.03 |

