

Calibres de base	Grandeur	Calibres dérivés			∅ trou	Bloc dessus	Bloc dessous	Creusure		Clavette	Vis	Chaton empierré	Pierre de dessus	c. pivot dessous	Ressort de c. pivot	
								plat.	cad.						dessus	dessous
° 49	5½				09	100.11.265	101.20	10	—	180.19	150.11	111.09	121.11	122.11	170.03	171.03
° 54	12	55 58 590	56 59	57 570	10	100.11.270	100.20	—	—	180.19	160.11	111.10	121.11	122.11	170.03	170.03
° 60	10½ 11½*	61*	63*	65	10	100.11.270	100.20	—	—	180.19	160.11	111.10	121.11	122.11	170.03	170.03
° 70	5				08	100.11.255	112.20	10	8	180.19	150.21	111.08	121.11	122.11	170.03	172.03
° 80	6¾×8				09	100.11.270	101.20	10	—	180.19	160.11	111.09	121.11	122.11	170.03	171.03
<b>73</b>	5½				08	100.11.255	112.20	10	8	180.19	150.21	111.08	121.11	122.11	170.03	172.03
<b>74 PPM</b>	5½				08	100.12.257	112.20	10	8	—	150.21	111.08	121.11	122.11	170.03	172.03
<b>260</b>	11½	261	1260	1261	10	160.22.275	163.20	—	—	—	—	111.10	122.11	122.11	170.03	173.03
<b>360</b>	11½	361 1361	363 1363	1360	10	160.22.275	163.20	—	—	—	—	111.10	122.11	122.11	170.03	173.03
<b>460</b>	11½	461 1461	463 1463	1460	10	160.22.275	163.20	—	—	—	—	111.10	122.11	122.11	170.03	173.03
<b>462</b>	12¾	464	1462	1464	10	160.22.275	163.20	—	—	—	—	111.10	122.11	122.11	170.03	173.03
<b>560</b>	11½	561 1560 1565	563 1561	565 1563	09	163.22.262	163.20	—	—	—	—	111.09	122.11	122.11	170.03	173.03
<b>562</b>	12¾	564	1562	1564	09	163.22.262	163.20	—	—	—	—	111.09	122.11	122.11	170.03	173.03
<b>610</b>	7¾	620			09	731.12.250	716.20	—	—	—	—	711.09	721.11	722.11	774.03	775.03
<b>1000</b>	12½	Triovis	1001	1002	10	163.22.312	168.20	—	—	—	—	111.10	122.11	122.11	170.03	173.03
<b>1075</b>	5½				08	100.12.257	113.20	10	8	—	—	111.08	121.11	122.11	170.03	173.03
<b>1175</b>	5½				08	100.12.257	113.20	10	—	—	—	111.08	121.11	122.11	170.03	173.03
<b>2000</b>	12½	Triovis	2001	2002	10	163.22.312	163.20	—	—	—	—	111.10	122.11	122.11	170.03	173.03
<b>3000</b>	6¾×8	3001			08	100.12.257	113.20	—	—	—	—	111.08	121.11	122.11	170.03	173.03



Calibres de base	Grandeur	Calibres dérivés	∅ trou	Bloc dessus	Bloc dessous	Creusure plat. cad.	Clavette	Vis	Chaton empierré	Pierre de dessus	c. pivot dessous	Ressort de dessus	c. pivot dessous	
<b>PUW</b>	<b>Pforzheimer</b>	<b>Uhrenrohwerke</b>	<b>Inh.</b>	<b>Rudolf Wehner</b>			<b>D-753</b>	<b>Pforzheim</b>						
° <b>49</b>	5¼		09	100.11.265	101.20	10	—	180.19	150.11	111.09	121.11	122.11	170.03	171.03
° <b>54</b>	12	55 56 57 58 59 570 590	10	100.11.270	100.20	—	—	180.19	160.11	111.10	121.11	122.11	170.03	170.03
° <b>60</b>	10½ 11½ *	61* 63* 65	10	100.11.270	100.20	—	—	180.19	160.11	111.10	121.11	122.11	170.03	170.03
° <b>70</b>	5		08	100.11.255	112.20	10	8	180.19	150.21	111.08	121.11	122.11	170.03	172.03
° <b>73</b>	5½		08	100.11.255	112.20	10	8	180.19	150.21	111.08	121.11	122.11	170.03	172.03
° <b>74 PPM</b>	5½		08	100.12.257	112.20	10	8	—	150.21	111.08	121.11	122.11	170.03	172.03
° <b>80</b>	6¾ × 8		09	100.11.270	101.20	10	—	180.19	160.11	111.09	121.11	122.11	170.03	171.03
° <b>260</b>	11½	261 1260 1261	10	160.22.275	163.20	—	—	—	—	111.10	122.11	122.11	170.03	173.03
° <b>360</b>	11½	361 363 1360 1361 1363	10	160.22.275	163.20	—	—	—	—	111.10	122.11	122.11	170.03	173.03
° <b>460</b>	11½	461 463 1460 1461 1463	10	160.22.275	163.20	—	—	—	—	111.10	122.11	122.11	170.03	173.03
° <b>462</b>	12¾	464 1462 1464	10	160.22.275	163.20	—	—	—	—	111.10	122.11	122.11	170.03	173.03
° <b>560</b>	11½	561 563 565 1560 1561 1563 1565	09	163.22.262	163.20	—	—	—	—	111.09	122.11	122.11	170.03	173.03
° <b>562</b>	12¾	564 1562 1564	09	163.22.262	163.20	—	—	—	—	111.09	122.11	122.11	170.03	173.03
° <b>610</b>	7¾	620	09	731.12.250	716.20	—	—	—	—	711.09	721.11	722.11	774.03	775.03
° <b>1000</b>	12½	Triovis 1001 1002	10	163.22.312	168.20	—	—	—	—	111.10	122.11	122.11	170.03	173.03
° <b>1075</b>	5½		08	100.12.257	113.20	10	8	—	—	111.08	121.11	122.11	170.03	173.03
° <b>2000</b>	12½	Triovis 2001 2002 2501 2502	10	163.22.312	168.20	—	—	—	—	111.10	122.11	122.11	170.03	173.03
° <b>3000</b>	6¾ × 8	3001	08	100.12.257	113.20	—	—	—	—	111.08	121.11	122.11	170.03	173.03
<b>660</b>	11½	661 663 1660 1661 1663 1665	09	163.22.262	103.20	—	—	—	—	111.09	122.11	122.11	170.03	173.03
<b>800</b>	6¾ × 8	801 803 810 811 813	08	100.12.257	113.20	10	—	—	—	111.08	121.11	122.11	170.03	173.03
<b>1175</b>	5½	1177	08	100.12.257	113.20	10	—	—	—	111.08	121.11	122.11	170.03	173.03