

SEFEA

Société Européenne d'Exploitation
de Fabrication d'Ebauches Annemasse
F-74 Annemasse

Calibres de base	Grandeur	Calibres dérivés	∅ trou	Bloc dessus	Bloc dessous	Creusure plat. cad.	Clavette	Vis	Chaton empierré	Pierre de dessus	c. pivot dessous	Ressort de dessus	c. pivot dessous	
° 41	8%	46	09	100.11.270	110.20	10	—	180.19	150.11	111.09	121.11	122.11	170.03	170.03
° 50	11½	50.1 501	10	100.11.300	100.20	—	—	180.19	150.11	111.10	121.11	122.11	170.03	170.03
° 52	8%		09	100.11.270	110.20	10	—	180.19	150.11	111.09	121.11	122.11	170.03	170.03
° 53	8%		09	100.11.270	110.20	10	—	180.19	150.11	111.09	121.11	122.11	170.03	170.03
° 55	10%	551 552	10	100.21.300	100.20	10	20	180.15	150.11	111.10	122.11	122.11	170.03	170.03
° 123	10% 11½°	123 B 124 125 126 127 127 B 1123* 1127*	10	100.11.300	100.20	—	—	180.19	150.11	111.10	121.11	122.11	170.03	170.03
° 200	5%		09	100.11.270	101.20	10	—	180.19	150.11	111.09	121.11	122.11	170.03	171.03
36 INT	8%	362	09	104.12.262	956.20	—	—	—	111.09 911.09	121.11	922.11	170.03	975.03	
69-21 INT	6%×8		09	101.12.257	906.20	—	—	—	111.09 911.09	121.11	922.11	170.03	975.03	
374 INT	8%	378	09	164.12.262	936.20	—	—	—	111.09 911.09	121.11	922.11	170.03	975.03	
SEFEA	Société Européenne de fabrication d'Ebauches d'Annemasse							F-74100 Annemasse						
° 41	8%	46	09	100.11.270	110.20	10	—	180.19	150.11	111.09	121.11	122.11	170.03	170.03
° 50	11½	50.1 501	10	100.11.300	100.20	—	—	180.19	150.11	111.10	121.11	122.11	170.03	170.03
° 52	8%		09	100.11.270	110.20	10	—	180.19	150.11	111.09	121.11	122.11	170.03	170.03
° 53	8%		09	100.11.270	110.20	10	—	180.19	150.11	111.09	121.11	122.11	170.03	170.03
° 55	10%	551 552	10	100.21.300	100.20	10	20	180.15	150.11	111.10	122.11	122.11	170.03	170.03
° 69-21INT	6%×8		09	101.12.257	906.20	—	—	—	111.09 911.09	121.11	922.11	170.03	975.03	
° 123	10% 11½°	123B 124 125 126 127 127B 1123* 1127*	10	100.11.300	100.20	—	—	180.19	150.11	111.10	121.11	122.11	170.03	170.03
° 200	5%		09	100.11.270	101.20	10	—	180.19	150.11	111.09	121.11	122.11	170.03	171.03
° 374INT	8%	378	09	164.12.262	936.20	—	—	—	111.09 911.09	121.11	922.11	170.03	975.03	
37INT	8%	371INT 372INT 373INT 374INT 378INT	09	164.12.262	936.20	—	—	—	111.09 911.09	121.11	922.11	170.03	975.03	
69-21INT	6%×8	69N INT 691N INT 692INT	09	101.12.257	906.20	—	—	—	111.09 911.09	121.11	922.11	170.03	975.03	
380001INT	8%	380011INT	09	914.22.263	716.20	—	—	—	911.09 711.09	922.11	722.11	975.03	775.03	