


















Calibre	 Bloc dessus		 Bloc dessous		 Ressort	 Contre-pivot	 Châton empierre
KIF 1							
290	1-4584	∅ 10 .41	1-42	∅ 10 .43	1-4	517	304 ∅ 10
372	1-2550	∅ 9 .31	1-21	∅ 9 .33	1-2	515	302 ∅ 9
400	1-4551	∅ 9 .41	1-42	∅ 9 .43	1-4	517	304 ∅ 9
6662	1-2531	∅ 9 .21	1-2102	∅ 9 .23	1-2	515	302 ∅ 9
6664	1-2570	∅ 9 .21	1-2203	∅ 9 .33	1-2	515	302 ∅ 9
6670	1-3430	∅ 9 .21	1-34	∅ 9 .23	1-3	516	303 ∅ 9
6680	1-3430	∅ 9 .21	1-31	∅ 9 .23	1-3	516	303 ∅ 9
6686	1-3430	∅ 9 .21	1-31	∅ 9 .23	1-3	516	303 ∅ 9
KIF 2							
372	2-2553	∅ 9 .31	2-21	∅ 9 .33	2-2/72	515	302 ∅ 9
374	2-2553	∅ 9 .31	2-22	∅ 9 .33	2-2/72	515	302 ∅ 9
390	2-4552	∅ 10 .41	2-45	∅ 10 .43	2-3/73	516	303 ∅ 10
580	2-4552	∅ 10 .41	2-45	∅ 10 .43	2-3/73	516	303 ∅ 10
KIF 3							
371	3-2553	∅ 9 .31	3-21	∅ 9 .33	3-2	515	302 ∅ 9
372	3-2553	∅ 9 .31	3-21	∅ 9 .33	3-2	515	302 ∅ 9
374	3-2553	∅ 9 .31	3-22	∅ 9 .33	3-2	515	302 ∅ 9
380	3-4553	∅ 10 .41	3-45	∅ 10 .43	3-3	516	303 ∅ 10
390	3-4553	∅ 10 .41	3-45	∅ 10 .43	3-3	516	303 ∅ 10
400	3-4557	∅ 9 .41	3-42	∅ 9 .43	3-3	516	303 ∅ 9
6630	93-2410	∅ 8 .21	93-24	∅ 8 .23	3-2	508	310 ∅ 8
6631	93-2410	∅ 8 .21	93-24	∅ 8 .23	3-2	508	310 ∅ 8
6660	3-3556	∅ 9 .21	3-31	∅ 9 .23	3-3	516	303 ∅ 9
6662	3-3556	∅ 9 .21	3-31	∅ 9 .23	3-3	516	303 ∅ 9
6664	3-3555	∅ 9 .21	3-3203	∅ 9 .43	3-3	516	303 ∅ 9

Calibre	 Bloc dessus	 Bloc dessous	 Ressort	 Contre-pivot	 Châton empiercé
6670	3-3431 ø 9 .21	3-34 ø 9 .23	3-3	516	303 ø 9
6680	3-3431 ø 9 .21	3-31 ø 9 .23	3-3	516	303 ø 9
6686	3-3431 ø 9 .21	3-31 ø 9 .23	3-3	516	303 ø 9
6711	93-2410 ø 8 .21	93-24 ø 8 .23	3-2	508	310 ø 8
KIF 4					
371	4-2553 ø 9 .31	4-21 ø 9 .33	4-2	515	302 ø 9
372	4-2553 ø 9 .31	4-21 ø 9 .33	4-2	515	302 ø 9
374	4-2553 ø 9 .31	4-22 ø 9 .33	4-2	515	302 ø 9
380	4-4553 ø 10 .41	4-45 ø 10 .43	4-3	516	303 ø 10
390	4-4553 ø 10 .41	4-45 ø 10 .43	4-3	516	303 ø 10
400	4-4557 ø 9 .41	4-42 ø 9 .43	4-3	516	303 ø 9
6660	4-3556 ø 9 .21	4-31 ø 9 .23	4-3	516	303 ø 9
6662	4-3556 ø 9 .21	4-31 ø 9 .23	4-3	516	303 ø 9
6664	4-3555 ø 9 .21	4-3203 ø 9 .43	4-3	516	303 ø 9
6670	4-3431 ø 9 .21	4-34 ø 9 .23	4-3	516	303 ø 9
6680	4-3431 ø 9 .21	4-31 ø 9 .23	4-3	516	303 ø 9
6686	4-3431 ø 9 .21	4-31 ø 9 .23	4-3	516	303 ø 9
6687	4-3431 ø 9 .21	4-31 ø 9 .23	4-3	516	303 ø 9
KIF 5					
6665	5/3-3555 ø 9 .21	5/3-3203 ø 9 .43	5-3	516	303 ø 9
6670	5/3-3431 ø 9 .21	5/3-34 ø 9 .23	5-3	516	303 ø 9
6680	5/3-3431 ø 9 .21	5/3-31 ø 9 .23	5-3	516	303 ø 9
6681	5/3-3431 ø 9 .21	5/3-31 ø 9 .23	5-3	516	303 ø 9



Calibre	Bloc dessus		Bloc dessous		Ressort	Contre-pivot	Châton empierré
KIF 6							
250	6-2561	∅ 9 .41	6-22	∅ 9 .44	6-2	516	303 ∅ 9
270	6-2561	∅ 9 .41	6-22	∅ 9 .24	6-2	516	303 ∅ 9
290	6-2578	∅ 10 .41	6-22	∅ 10 .44	6-2	516	303 ∅ 10
380	6-2589	∅ 10 .41	6-25	∅ 10 .44	6-2	516	303 ∅ 10
401	6-2561	∅ 9 .41	6-22	∅ 9 .44	6-2	516	303 ∅ 9
6600	6-1451	∅ 8 .21	6-14	∅ 8 .24	6-1	sus 515 sous 508	301 ∅ 8
6600 SOR	6-1465	∅ 8 .22	6-14	∅ 8 .24	6-1	sus 515 sous 508	301 ∅ 8
6620	6-1451	∅ 8 .21	6-14	∅ 8 .24	6-1	sus 515 sous 508	301 ∅ 8
6620 SOR	6-1465	∅ 8 .22	6-14	∅ 8 .24	6-1	sus 515 sous 508	301 ∅ 8
6621	6-1451	∅ 8 .21	6-14	∅ 8 .24	6-1	sus 515 sous 508	301 ∅ 8

KIF 1							
465	1-4591	∅ 9 .41	1-42	∅ 9 .43	1-4	517	304 ∅ 9
4019	1-2556	∅ 10 .31	1-2201	∅ 10 .34	1-2	515	302 ∅ 10
KIF 2							
395	2-4570	∅ 10 .41	2-42	∅ 10 .43	2-3/73	516	303 ∅ 10
KIF 3							
22	3-7753	∅ 8 .21	3-73	∅ 8 .23	3-2	508	312 ∅ 8
4130	3-7052	∅ 8 .21	3-7004	∅ 8 .23	3-2	508	312 ∅ 8
4172	3-7754	∅ 8 .21	3-77	∅ 8 .23	3-2	508	312 ∅ 8

Calibre	 Bloc dessus	 Bloc dessous	 Ressort	 Contre-pivot	 Châton empierré
KIF 4					
22	4-7753 ø 8 .21	4-73 ø 8 .23	4-2	508	312 ø 8
4130	4-7052 ø 8 .21	4-7004 ø 8 .23	4-2	508	312 ø 8
4172	4-7754 ø 8 .21	4-77 ø 8 .23	4-2	508	312 ø 8
KIF 6					
22	6-1456 ø 8 .21	6-1103 ø 8 .24	6-1	sus 515 sous 508	301 ø 8
28	6-1458 ø 8 .21	6-11 ø 8 .24	6-1	sus 515 sous 508	301 ø 8
29	6-1458 ø 8 .21	6-11 ø 8 .24	6-1	sus 515 sous 508	301 ø 8
702	6-2582 ø 8 .41	6-22 ø 8 .24	6-2	516	303 ø 8
1560	6-2550 ø 10 .41	6-25 ø 10 .44	6-2	516	303 ø 10
4000	6-2550 ø 10 .41	6-22 ø 10 .44	6-2	516	303 ø 10
4004	6-2550 ø 10 .41	6-22 ø 10 .44	6-2	516	303 ø 10
4007	6-2550 ø 10 .41	6-22 ø 10 .44	6-2	516	303 ø 10
4007 N	6-2550 ø 10 .41	6-22 ø 10 .44	6-2	516	303 ø 10
4019	6-2550 ø 10 .41	6-22 ø 10 .44	6-2	516	303 ø 10
4045	6-2556 ø 9 .41	6-25 ø 9 .44	6-2	516	303 ø 9
4072	6-1455 ø 8 .21	6-14 ø 8 .24	6-1	sus 515 sous 508	301 ø 8
4122	6-2552 ø 9 .41	6-22 ø 9 .24	6-2	516	303 ø 9
4125	6-1550 ø 9 .31	6-12 ø 9 .24	6-1	sus 515 sous 508	301 ø 9